

Product datasheet

Specifications



END FEED BOX 250 A

Local distributor code:

2221845

KSA250AB4

EAN Code: 3606480004025

Main

Range of product	Canalis
Product name	KS
Device short name	KSA
Product compatibility	Canalis KSA busbar trunking 100...250 A
Offer type	Classic Rising main
Product or component type	Feed unit
Conductors material	Aluminium
[Ie] rated operational current	250 A
[Ue] rated operational voltage	230...690 V
Number of circuits	1
Busbar trunking polarity	3L + N + PE
Protection type	Without protection
Control type	Without
Colour	White (RAL 9001)

Complementary

Provided equipment	End cover
Mounting location	Right Left
Mounting mode	By screws
Mounting support	Busbar
Body material	Metal
Connections - terminals	Lug for 240 mm ² flexible Lug for 240 mm ² rigid
Width	501 mm
Depth	173.5 mm
Height	308 mm
Net weight	8 kg
Standards	IEC 61439-1 IEC 61439-6

Environment

IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK08 conforming to IEC 62262

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	25.400 cm
-------------------------	-----------

Package 1 Width	42.200 cm
------------------------	-----------

Package 1 Length	44.400 cm
-------------------------	-----------

Package 1 Weight	9.718 kg
-------------------------	----------

Unit Type of Package 2	P06
-------------------------------	-----

Number of Units in Package 2	6
-------------------------------------	---

Package 2 Height	60.000 cm
-------------------------	-----------

Package 2 Width	80.000 cm
------------------------	-----------

Package 2 Length	60.000 cm
-------------------------	-----------

Package 2 Weight	67.900 kg
-------------------------	-----------

Logistical informations

Country of origin	FR
--------------------------	----

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture


End of life manual availability

No need of specific recycling operations

Take-back


No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Dimensions Drawings

Dimensions



Technical Illustration

Assembly's dimensions

