


# Product datasheet

Specifications



## FIXING BRACKET 1000 A

Local distributor code:

2225650

KSB1000ZF1

**EAN Code: 3606485012711**

### Main

Range of product	Canalis
Product name	KS
Product or component type	Bracket
Product compatibility	KS
Fixing device mounting	Suspended on threaded rod Wall mounting
Maximum load	135 kg
Quantity per set	Set of 10

### Complementary

Accessory / separate part category	Fixing accessory
[Ie] rated operational current	1000.0 A
Width	151 mm
Depth	30 mm
Height	181.5 mm
Net weight	400 g

### Environment

Standards	IEC 60439-2 IEC 61439-6
-----------	----------------------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.600 cm
Package 1 Width	19.000 cm
Package 1 Length	31.000 cm
Package 1 Weight	372.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	16.000 cm
Package 2 Width	19.000 cm
Package 2 Length	31.000 cm

---

Package 2 Weight	3.806 kg
Unit Type of Package 3	P06
Number of Units in Package 3	300
Package 3 Height	80.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	122.000 kg

---

## Logistical informations

---

Country of origin FR

## Contractual warranty

---

Warranty 18 months



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

## Use Again

### Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins