


Product datasheet

Specifications



TAP OFF OUTLET SEALING KIT

Local distributor code:

2226549

KSB1000ZP2

EAN Code: 3606485013121

Main

Range	Canalis
Product name	KS
Product or component type	Sealing kit
Product compatibility	KS
Range compatibility	Canalis KS tap-off unit

Complementary

Accessory / separate part category	Tap-off unit accessory
Device application	To seal
Standards	IEC 60439-2 IEC 61439-6
Net weight	2 g
Quantity per set	Set of 20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.100 cm
Package 1 Width	0.600 cm
Package 1 Length	5.000 cm
Package 1 Weight	2.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	1.000 cm
Package 2 Width	12.000 cm
Package 2 Length	18.000 cm
Package 2 Weight	42.000 g
Unit Type of Package 3	P06
Number of Units in Package 3	1200
Package 3 Height	35.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm

Package 3 Weight 10.000 kg

Contractual warranty

Warranty 18 months



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins