

# Remote Wear Diagnostic Module (NO) for TeSys Giga contactor LC1G

LA9GRD10

EAN Code: 3606481047922

## Main

Range	TeSys
Device short name	LA9G
Product or component type	Function module

# Complementary

Mounting location	Тор
main function available	Remote alarm
Auxiliary contact composition	1 NO
[Ith] conventional free air thermal current	5 A
Connection pitch	5.08 mm
Height	91.5 mm
Width	30 mm
Depth	50 mm
Net weight	0.1 kg
Quantity per set	Set of 1

## **Environment**

Pollution degree	3 conforming to IEC 60947-1	
Standards	EN/IEC 60947-4-1 EN/IEC 60947-5-1 UL 60947-5-1 CSA C22.2 No 60947-5-1 JIS C8201-4-1 JIS C8201-5-1 IEC 60335-1:Clause 30.2 IEC 60335-2-40:Annex JJ	
	UL 60335-1 UL 60335-2-40:Annex JJ	
Product certifications	CB Scheme CCC CULus UKCA ATEX EU-RO-MR by DNV-GL EAC	
Ambient air temperature for operation	-2560 °C	
Ambient air temperature for storage	-6080 °C	
Operating altitude	3000 m without derating 5000 m with derating factor	

IP degree of protection IP20 conforming to IEC 60529

# **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.0 cm
Package 1 Width	6.0 cm
Package 1 Length	8.3 cm
Package 1 Weight	91.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	32
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.316 kg

# **Logistical informations**

Country of origin

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

## ∇ Environmental footprint

Environmental Disclosure

Product Environmental Profile

#### **Use Better**

<b>⊗</b> Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant with Exemptions
SCIP Number	6fbdad13-bb7c-47d4-a6d6-d82dd6f54349
REACh Regulation	REACh Declaration
Halogen-free status	Halogen free plastic parts product
PVC free	No

#### **Use Again**

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

## **Product datasheet**

## LA9GRD10

Installation

**Installation Videos** 

TeSys Giga - How to install and remove remote wear diagnosis module