

Product datasheet

Specifications



short terminal shield, ComPact NSX100/160/250, pitch 35 mm, IP40, 3 poles

Local distributor code:

391353110

LV429515

EAN Code: 3606480019890

Main

Product or component type	Short terminal shield
Range compatibility	ComPacT ComPacT NSX100 ComPacT ComPacT NSX160 ComPacT ComPacT NSX250 ComPact ComPact NSX100 ComPact ComPact NSX160 ComPact ComPact NSX250 ComPacT ComPacT NSX DC NSX100 DC ComPacT ComPacT NSX DC NSX160 DC ComPacT ComPacT NSX DC NSX250 DC ComPact Compact NSX100 DC ComPact Compact NSX160 DC ComPact Compact NSX250 DC EasyPact EasyPact CVS100 EasyPact EasyPact CVS160 EasyPact EasyPact CVS250
Accessory / separate part type	Insulation accessories
Poles description	3P
Quantity per set	1

Complementary

Connection pitch	35 mm
IP degree of protection	IP40 conforming to IEC 60529
Product compatibility	Circuit-breaker Plug-in base

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	16.500 cm
Package 1 Length	17.000 cm
Package 1 Weight	51.900 g
Unit Type of Package 2	S04
Number of Units in Package 2	60
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	3.819 kg

Unit Type of Package 3	P12
Number of Units in Package 3	240
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	27.229 kg

Logistical informations

Country of origin FR

Contractual warranty

Warranty 18 months



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 1

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

Halogen-free status Product contains halogen above thresholds

PVC free Yes

Use Again

Repack and remanufacture

Recyclability potential, in % 2

End of life manual availability No need of specific recycling operations

Take-back No