

Product datasheet

Specifications



SUPPORT WITH 72X72 CUT-OUT FOR METERING DEV/P-BUTTON FOR FR.PL.03904/VISOR 03928

LVS03902

EAN Code: 3606481885678

Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
installation description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 400 mm depth 400 mm Cubicle - width 650 mm depth 400 mm Cubicle duct - width 300 mm depth 400 mm
Installed device	Human-switchboard interface: 72 x 72 mm device Vigirex: RH10 Vigirex: RH21 Vigirex: RH99
Number of vertical modules [50 mm]	3 module(s): 72 x 72 mm device in 600 mm Widefloor-standing enclosure 3 module(s): 72 x 72 mm device in 600 mm Widewall-mounted enclosure 3 module(s): 72 x 72 mm device in 650 mm Widecubicle 3 module(s): 72 x 72 mm device in 300 mm Widecubicle duct 3 module(s): 72 x 72 mm device in 400 mm Widecubicle 3 module(s): RH10 in 600 mm Widefloor-standing enclosure 3 module(s): RH10 in 600 mm Widewall-mounted enclosure 3 module(s): RH10 in 650 mm Widecubicle 3 module(s): RH10 in 300 mm Widecubicle duct 3 module(s): RH10 in 400 mm Widecubicle 3 module(s): RH21 in 600 mm Widefloor-standing enclosure 3 module(s): RH21 in 600 mm Widewall-mounted enclosure 3 module(s): RH21 in 650 mm Widecubicle 3 module(s): RH21 in 300 mm Widecubicle duct 3 module(s): RH21 in 400 mm Widecubicle 3 module(s): RH99 in 600 mm Widefloor-standing enclosure 3 module(s): RH99 in 600 mm Widewall-mounted enclosure 3 module(s): RH99 in 650 mm Widecubicle 3 module(s): RH99 in 300 mm Widecubicle duct 3 module(s): RH99 in 400 mm Widecubicle
Standards	IEC 61439-2
Product certifications	ASTA

Complementary

Material	Plastic
Colour	White (RAL 9001)
Width	81 mm
Height	150 mm
Depth	15 mm

Net weight	0.04 kg
Functional unit	600 mm PrismaSeT G floor-standing enclosure human-switchboard interface 72 x 72 mm device 5 3 600 mm PrismaSeT G wall-mounted enclosure human-switchboard interface 72 x 72 mm device 5 3 650 mm 400 mm PrismaSeT P cubicle human-switchboard interface 72 x 72 mm device 5 3 300 mm 400 mm PrismaSeT P cubicle duct human-switchboard interface 72 x 72 mm device 5 3 400 mm 400 mm PrismaSeT P cubicle human-switchboard interface 72 x 72 mm device 5 3 600 mm PrismaSeT G floor-standing enclosure Vigirex 5 3 600 mm PrismaSeT G wall-mounted enclosure Vigirex 5 3 650 mm 400 mm PrismaSeT P cubicle Vigirex 5 3 300 mm 400 mm PrismaSeT P cubicle duct Vigirex 5 3 400 mm 400 mm PrismaSeT P cubicle Vigirex 5 3

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	8.1 cm
Package 1 Length	14.8 cm
Package 1 Weight	35.0 g
Unit Type of Package 2	S04
Number of Units in Package 2	200
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	7.674 kg

Logistical informations

Country of origin	FR
--------------------------	----

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No