

# Product datasheet

Specifications



## IP30 PLAIN DOOR W800

LVS08518

**EAN Code: 3606481878694**

### Main

|                           |   |
|---------------------------|---|
| Range                     | PrismaSeT   |
| Range of product          | PrismaSeT P   |
| Product or component type | Door  |
| Range compatibility       | PrismaSeT PrismaSeT P cubicle   |
| Provided equipment        | door<br>handle<br>keylock (key 405)<br>other keylock and insert to be ordered separately<br>2 hinge<br>barrier 150 mm for the side compartment<br>finishing accessory |
| Enclosure mounting        | Floor-standing  |
| type of door              | Plain   |
| IP degree of protection   | IP30  |

### Complementary

|                                    |  |
|------------------------------------|--|
| installation description           | Cubicle - width 800 mm<br>Cubicle - width 650 + 150 mm |
| Door opening side                  | Reversible   |
| Number of locks                    | 2  |
| door opening angle                 | 120 °  |
| Number of vertical modules [50 mm] | 36   |
| Enclosure material                 | Treated sheet steel                                    |
| Quantity per set                   | Set of 1   |
| Height                             | 1925 mm  |
| Width                              | 800 mm   |
| Depth                              | 30 mm  |
| Net weight                         | 24.92 kg   |
| Surface finish                     | Textured<br>Matt                                       |
| Colour                             | White (RAL 9003)                                       |

### Environment

|                         |                                 |
|-------------------------|---------------------------------|
| IK degree of protection | IK08 conforming to EN/IEC 62262 |
| Standards               | IEC 61439-1<br>IEC 61439-2      |

---

|                      |  |
|----------------------|--|
| Protective treatment | Electrophoresis treatment and hot-polymerised polyester epoxy powder |
|----------------------|--|

## Packing Units

---

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

---

|                              |   |
|------------------------------|---|
| Number of Units in Package 1 | 1 |
|------------------------------|---|

---

|                  |          |
|------------------|----------|
| Package 1 Height | 7.500 cm |
|------------------|----------|

---

|                 |           |
|-----------------|-----------|
| Package 1 Width | 85.000 cm |
|-----------------|-----------|

---

|                  |            |
|------------------|------------|
| Package 1 Length | 199.000 cm |
|------------------|------------|

---

|                  |           |
|------------------|-----------|
| Package 1 Weight | 31.478 kg |
|------------------|-----------|

---

|                        |     |
|------------------------|-----|
| Unit Type of Package 2 | PAL |
|------------------------|-----|

---

|                              |    |
|------------------------------|----|
| Number of Units in Package 2 | 10 |
|------------------------------|----|

---

|                  |           |
|------------------|-----------|
| Package 2 Height | 86.000 cm |
|------------------|-----------|

---

|                 |            |
|-----------------|------------|
| Package 2 Width | 120.000 cm |
|-----------------|------------|

---

|                  |            |
|------------------|------------|
| Package 2 Length | 202.000 cm |
|------------------|------------|

---

|                  |            |
|------------------|------------|
| Package 2 Weight | 340.000 kg |
|------------------|------------|

## Logistical informations

---

|                   |    |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

## Contractual warranty

---

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant with Exemptions

SCIP Number

54f92188-c525-449d-b6bc-1b73b352d3f6

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

## Use Again

### Repack and remanufacture

End of life manual availability

No need of specific recycling operations


Take-back

No

Technical Illustration

Dimensions

---



- All dimensions are approximate and are in mm  
- Also see technical documentation.