

# Product datasheet

Specifications



## EARTHING BRAID 6MM

LVS08910

EAN Code: 3606481870735

### Main

Range	PrismaSeT
Range of product	PrismaSeT P PrismaSeT G
Product or component type	Braid
Accessory / separate part category	Earthing accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
Cable cross section	6 mm <sup>2</sup>

### Complementary

installation description	Floor-standing enclosure Wall-mounted enclosure Cubicle Pack enclosure
Connections - terminals	Lugs-ring terminals, 4 mm Lugs-ring terminals, 6 mm
Quantity per set	Set of 1
Length	200 mm
Net weight	0.04 kg
Colour	Natural

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.500 cm
Package 1 Width	2.000 cm
Package 1 Length	10.000 cm
Package 1 Weight	30.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	50
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1.886 kg

---

<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	400
<b>Package 3 Height</b>	28.000 cm
<b>Package 3 Width</b>	80.000 cm
<b>Package 3 Length</b>	120.000 cm
<b>Package 3 Weight</b>	27.100 kg

---

## Logistical informations

---

Country of origin FR

## Contractual warranty

---

Warranty 18 months

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

## Use Again

### Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No