

Product datasheet

Specifications



Horizontal rotating fixing, square 50 mm RAL 7040. For S3CM HMI encl.

Local distributor code:
392864132

NSYCMUCC50

EAN Code: 3606480213113

Main

Range	PanelSeT
Accessory / separate part category	Cable management accessory
Product or component type	Bent and rotating enclosure fixing
Device application	Multi-purpose
Enclosure nominal dimensions	-
Mounting location	On enclosure, in horizontal position
Mounting support	For 50 mm square tube Option of passing cables through the inside
Range compatibility	PanelSeT PanelSeT S3CM
Device composition	fixing elements 1 rotating fixing
Quantity per set	Set of 1

Complementary

Material	Aluminium
Colour	Grey (RAL 7040)
Surface finish	Epoxy-polyester powder
Fixing mode	Fixing through the support surface by 4 screws - screw type M6
Operating angle	310 °
Permanent permissible load	2 kg
Height	147 mm
Width	154 mm
Depth	180 mm
Diameter	96 mm
Net weight	2 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.000 cm
Package 1 Width	17.000 cm
Package 1 Length	19.000 cm

Package 1 Weight	1.916 kg
------------------	----------

Logistical informations

Country of origin	DE
-------------------	----

Contractual warranty

Coverage	Core product
----------	--------------

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No