

Product datasheet

Specifications



"HMI incl. PanelSet S3CM H500xW500xD250IP54 IK10, RAL7035.Rear door."

Local distributor code:

392865869

NSYS3CM505025

EAN Code: 3606480212901

Main

Range	PanelSeT
Product name	PanelSeT S3CM
Application	Human-machine dialogue application
Category	Control enclosure
Enclosure nominal height	500 mm
Enclosure nominal width	500 mm
Enclosure nominal depth	250 mm
Installation accessory type	Suspension system
Product destination	Interface
Device composition	1 body 1 door with lock 2 rail 1 reinforcement plate 1 front trim frame

Complementary

Body type	Single piece body
Door type	Plain
Number of doors	Rear: 1 door(s)
Door opening side	Reversible (120 °)
Lock type	3 mm double-bar lock
Mounting plate description	Without mounting plate
Type of gland plate	Without gland plate
Accessibility for operation	Rear
Removable parts	Door by hinges Trim frame by screws 2 rails by screws
Material	Enclosure and front face: steel Trim frame: aluminium
Surface finish	Epoxy-polyester powder
Colour	Enclosure: grey (RAL 7035) Front face: grey (RAL 7040)
Standards	UL
Net weight	16.53 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environment

IP degree of protection	IP54 conforming to IEC 60529
-------------------------	------------------------------

IK degree of protection	IK10 conforming to IEC 62262
-------------------------	------------------------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	29.000 cm
------------------	-----------

Package 1 Width	62.000 cm
-----------------	-----------

Package 1 Length	63.000 cm
------------------	-----------

Package 1 Weight	16.530 kg
------------------	-----------

Unit Type of Package 2	PAM
------------------------	-----

Number of Units in Package 2	18
------------------------------	----

Package 2 Height	200.000 cm
------------------	------------

Package 2 Width	100.000 cm
-----------------	------------

Package 2 Length	120.000 cm
------------------	------------

Package 2 Weight	311.000 kg
------------------	------------

Logistical informations

Country of origin	ES
-------------------	----

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 156

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number E893f0a0-d2cc-4011-9425-3873dde70142

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

Recyclability potential, in % 98

End of life manual availability No need of specific recycling operations

Take-back No

Technical Illustration

Assembly's dimensions

