

Product datasheet

Specifications



Folding support tray - 500 mm enclosure - 30 kg load

Local distributor code:
398253349

NSYSDT5

EAN Code: 3606485131498

Main

Range	PanelSeT
Product or component type	Folding support tray
Application	Multi-purpose
Nominal dimensions of the housing	- W: 500 mm
Mounting location	On door reinforcement frame On door cross rails for 1000 mm wide enclosures
Mounting support	Cross rails
Range compatibility	PanelSeT SF, SM, SFX, SMX, S3D, CRN enclosures
Device composition	Fixing elements 1 x tray
Quantity per set	Set of 1

Complementary

Material	Steel
Colour	Grey (RAL 7035)
Surface finish	Epoxy-polyester powder
Fixing mode	By fixing element
Adjustment	Adjustable in height, steps of 25 mm
Operating angle	45 ° 60 ° 75 ° 90 °
Maximum load	30 kg/m ²
Height	50 mm
Width	Nominal: 325 mm
Depth	350 mm
thickness	1.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	36.000 cm
Package 1 Length	40.500 cm

Package 1 Weight	2.916 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	60
Package 2 Height	63.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	185.200 kg

Logistical informations

Country of origin ES

Contractual warranty

Warranty 18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 11

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number 52da316e-d4e1-4114-85c0-32a03b2934fd

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

Recyclability potential, in % 98

End of life manual availability No need of specific recycling operations

Take-back No