

Product datasheet

Specifications



"Set of 2 door cross rails for PanelSet WM enclosure, width 600mm"

Local distributor code:
392868743

NSYTFPCR6

EAN Code: 3606480184925

Main

Range	PanelSeT
Product or component type	Door cable-guide cross rail
Application	Multi-purpose
Nominal dimensions of the housing	-
Mounting location	On door reinforcement frame
Range compatibility	PanelSeT S3D, CRN, S3X enclosures
Device composition	Fixing elements 2 x cross rails
Quantity per set	Set of 1

Complementary

Material	Steel
Surface finish	Zinc coated
Fixing mode	By 2 screws - screw type self tapping - on door reinforcement frame location
Adjustment	At the required height for on door reinforcement frame
Height	30 mm
Width	Nominal: 600 mm Real: 532 mm
Depth	14 mm
Net weight	0.55 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	6.000 cm
Package 1 Length	54.000 cm
Package 1 Weight	530.000 g
Unit Type of Package 2	PAM
Number of Units in Package 2	200
Package 2 Height	50.000 cm
Package 2 Width	100.000 cm

Package 2 Length	120.000 cm
------------------	------------

Package 2 Weight	119.000 kg
------------------	------------

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Warranty	18 months
----------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No