

Product datasheet

Specifications



TeSys Vario enclosed, empty enclosure for VN12-VN20 V02-V2, red handle, IP65

Local distributor code:

380921391

VCFXGE1

⚠ Discontinued on: 9 Feb 2023

⚠ Discontinued

EAN Code: 3389110602883

Main

Range	TeSys
Device short name	VCFX
Product or component type	Enclosure
Product compatibility	VN12 VN20 V02...V2

Complementary

Handle colour	Red
Handle front plate colour	Yellow
Rotary handle padlocking	With
[I]the] conventional enclosed thermal current	25 A 10 A 20 A 16 A 32 A
Environmental characteristic	Standard environment
Height	146 mm
Width	90 mm
Depth	131 mm
Net weight	0.34 kg

Environment

IP degree of protection	IP65
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.500 cm
Package 1 Width	11.000 cm
Package 1 Length	16.000 cm
Package 1 Weight	369.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	7

Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	2.930 kg
Unit Type of Package 3	P06
Number of Units in Package 3	56
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	33.468 kg

Logistical informations

Country of origin	CZ
-------------------	----

Contractual warranty

Warranty	18 months
----------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	16
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant with Exemptions
SCIP Number	9ea58720-3cf9-4883-9af8-9d64d3981af2
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture

Recyclability potential, in %	20
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins