

# Product datasheet

Specifications



## flush blanking plug

Local distributor code:

407818413

ZB5FSZ3

**EAN Code: 3606481361790**

### Main

Range of product	Harmony XB4 Harmony XB5
Product or component type	Blanking plug
Accessory / separate part category	Mounting and fixing accessory
Product compatibility	XB5F ZB5F

### Complementary

Head type	Built-in-flush
Colour	Dark grey
Device application	Industrial machines
IP degree of protection	IP66 (front face) conforming to IEC 60529 IP69 conforming to IEC 60529 IP69K conforming to DIN 40050-9
IK degree of protection	IK03 conforming to IEC 50102
Mounting diameter	30.5 mm
Quantity per set	Set of 5

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	3.600 cm
Package 1 Length	3.600 cm
Package 1 Weight	15.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	7.100 cm
Package 2 Width	7.100 cm
Package 2 Length	9.000 cm
Package 2 Weight	92.500 g
Unit Type of Package 3	S03
Number of Units in Package 3	225

---

Package 3 Height	30.000 cm
------------------	-----------

---

Package 3 Width	30.000 cm
-----------------	-----------

---

Package 3 Length	40.000 cm
------------------	-----------

---

Package 3 Weight	4.617 kg
------------------	----------

---

## Logistical informations

---

Country of origin	FR
-------------------	----

---

## Contractual warranty

---

Warranty	18 months
----------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint 1

Environmental Disclosure [Product Environmental Profile](#)

### Use Better

#### Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic Yes

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

### Use Again

#### Repack and remanufacture



Recyclability potential, in % 0

End of life manual availability No need of specific recycling operations

Take-back No

Technical Illustration

Dimensions



	a (mm)	a (in.)	b (mm)	b (in.)
ZBE..... ZBV.....	40	1.57	40	1.57
ZBE.....3 ZBV.....3	45	1.77	40	1.57
ZBE.....4 ZBV.....4	40	1.57	40	1.57