
DED 64618 85W 13V 24/CS 1/SKU



Product features and benefits

- Precise filament alignment with patented quartz pinch technology
- OSRAM HLX lamps provide 10% higher luminous efficacy over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Areas of application

- Microscopy
- Laboratory & Analysis
- UV Curing
- Fiber Illumination
- Surgical & Dental Overhead

Technical data

General Product Information

Global order reference	64618 DED 85W 1
Product number (Americas)	54726
Product name (Americas)	DED 64618 85W 13V 24/CS 1/SKU
Lamp type	MR16
ANSI code	DED
LIF code	-

Electrical Data

Nominal wattage	85 W
Nominal voltage	13.8 V
Type of current	AC

Photometric Data

Nominal luminous flux	150 lm
Color rendering index Ra	100

Physical Attributes & Dimensions

Lamp base	GX5.3
Diameter	51.0 mm
Diameter (in)	2.008 in
Diameter	51.0 mm
Length	45.0 mm
Product weight	30.00 g

Lifetime Data

Nominal lifetime	1000 hr
------------------	---------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300017402
Declaration no. in SCIP database	In work

Product datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54726	4050300017402	FOLDING BOX	1		
54726	10046135547260	SHIPPING BOX	24	7.8 in x 6.0 in x 5.5 in	2.0 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.