




G5 (T5): Fluorescent Push-Through Lampholders

Article number: 26.620.2001-0

EAN: -



Product information "G5 (T5): Fluorescent Push-Through Lampholders"

For enclosed cut-outs: 10 x 20 mm

A pair of lampholders provides a lamp length tolerance compensation of 2 mm.

Ausführung:	G5 (T5): Push-Through Lampholders
Color:	white
Front test:	yes
Lamp axis height:	15.8 / 18.3
Luminaire wall thickness:	0.5 - 1.5
Material:	Housing: PCRotor: PBT
Note warranty conditions:	*Warranty conditions of BJB GmbH & Co. KG as stated as available via the Internet under https://www.bjb.com/en/legal-information/general-terms-and-conditions/ are valid.

Packaging quantity:	1000
Producttype:	G5 Push-Through Lampholders
Rotor:	with
Series:	Linear Fluorescent Lampholders for dry rooms (IP20)
T-marking:	130
Top Test:	yes
UL:	yes
Weight:	3 g
approbation:	cULus
cULus file no.:	E-92235
mounting method 1:	Snap-in / screw mount foot
old article number:	26.620.2001.50

Available Downloads

- > [US_General_Information](#)
- > [Allgemeine Informationen](#)

Available CAD Downloads

- > [2D-CAD \(DXF\)00A-20G-02](#)
- > [3D-CAD \(STEP, Parasolid, IGES, 3D-PDF\)00A-20G-04](#)

Certifications

Article Number	Documents
26.620.2001-0	cULus, gültig für USA und Kanada-cULus (USA and Kanada)727851
26.620.2001-0	Genehmigung liegt vor-Approval at hand1263916
26.620.2001-0	Genehmigung liegt vor-Approval at hand749651
26.620.2001-0	ENEC Zeichen-ENEC Approval713266
26.620.2001-0	Genehmigung liegt vor-Approval at hand1193791
26.620.2001-0	Genehmigung liegt vor-Approval at hand3547668
26.620.2001-0	Genehmigung liegt vor-Approval at hand3677956

Article Number

Documents

26.620.2001-0

PSE-Mark_(Japan)-PSE-Mark1206225



0,5 - 1,5

Tm120

T 140



18 AWG0,5 -1,0 mm²

