


G13 Fluorescent Push-In Lampholders

Article number: 26.308.1018-0

EAN: -



Product information "G13 Fluorescent Push-In Lampholders"

With snap in foot and closed base, IP 40

A pair of lampholders provides a lamp length tolerance compensation of 3 mm

Ausführung: G13 Push-In Lampholders

Color: white

Fluorescent lamps: G13

Front test: yes

Lamp axis height: 18

Luminaire wall thickness: 0.5 - 1.1

Material: Housing: PC Rotor: PBT

Note warranty conditions:	*Warranty conditions of BJB GmbH & Co. KG as stated as available via the Internet under https://www.bjb.com/en/legal-information/general-terms-and-conditions/ are valid.
Packaging quantity:	500
Producttype:	G13 Push-In Lampholders
Protection type:	IP 40
Rotor:	with
Series:	Linear Fluorescent Lampholders for dry rooms (IP20)
T-marking:	130
Top Test:	yes
UL:	yes
Weight:	6 g
Wiring:	Side entry wiring
approbation:	cULus
cULus file no.:	E-92235
mounting method 1:	Snap-in foot 10 x 20 mm
old article number:	26.308.1018.50

Available Downloads

- > [US_General_Information](#)
- > [Allgemeine Informationen](#)

Available CAD Downloads

- > [2D-CAD_\(DXF\)00T-Y08-02](#)
- > [3D-CAD_\(STEP,_Parasolid,_IGES,_3D-PDF\)00T-Y08-07](#)

Certifications

Article Number	Documents
26.308.1018-0	Genehmigung_liegt_vor-Approval_at_hand3677956
26.308.1018-0	ENEC_Zeichen-ENEC_Approval5164211
26.308.1018-0	PSE-Mark_(Japan)-PSE-Mark1203964

Article Number

Documents

26.308.1018-0	Genehmigung_liegt_vor-Approval_at_hand749598
26.308.1018-0	cULus_gültig_für_USA_und_Kanada-cULus_(USA_and_Kanada)727851



Tm 110

T 130



18 AWG0,5 -1,0 mm²

