

Product datasheet

ORIGINAL LINE H7

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64210L
------------------------	--------

Electrical Data


Power input	58 W ¹⁾
Nominal voltage	12 V
Nominal wattage	55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1500 lm
Luminous flux tolerance	±10 %

Physical Attributes & Dimensions



Diameter	12.0 mm
Product weight	12.50 g
Length	59.0 mm
Lamp base	PX26d

Lifetime Data

Lifespan B3	450 hr
Lifespan Tc	930 hr

Product datasheet

Capabilities

Technology	HAL
------------	-----



Certificates & standards

ECE category	H7
--------------	----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321313225 4008321685711 4050300569079 4050300459387 4008321318114 4052899232044 4050300880389 4008321856128 4050300437873
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Download Data

File
 User instruction GPRS_Safety symbols instructions
 Addon Technical Information Product Certificates HAL

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM