

Outdoor motion detectors - LC-Click

LC-Click 200



white mat, similar to RAL9010 , Part No. 91102 black mat, similar to RAL9005 , Part No. 91122

Product Information

- Motion detector with detection area of 200°
- Adjustable ball head
- Simple mounting thanks to plug base
- Can be mounted on standard flush-mount boxes
- Detection area can be restricted with blinds

Technical Data

Voltage:	110 – 240 V AC 50 / 60 Hz
Dimensions:	103 x 78 x 80 mm
Power consumption:	approx. 0.4 W
Detection area:	horizontal 200° (Wall mounting)
Range:	max. 12 m across max. 4 m towards
Monitored area (tangential movement):	250 m ² / 2.5 m mounting height
Mounting height min./max./recommended:	2 m / 3 m / 2.5 m
Degree / class of protection:	IP44 / Class II



Ambient temperature:	-25 °C to +50 °C
Housing:	polycarbonate, UV-resistant
Channel 1 (lighting control)	
Switching power:	1000 W, $\cos \varphi = 1$ 500 VA, $\cos \varphi = 0.5$ 200 W LED
Type of contact:	1x μ -contact, NO contact
Follow-up time:	4 sec – 20 min
Switch-on threshold:	10 – 300 Lux

Description

Description	Colour	Part number	EAN number
LC-Click 200	white mat, similar to RAL9010	91102	4007529911028
LC-Click 200	black mat, similar to RAL9005	91122	4007529911226

Accessory

Description	Colour	Part number	EAN number
Wire basket BSK (Ø 164 x 143 mm)	white	92467	4007529924677
RC-Arc extinction kit	white	10880	4007529108800
Mini-RC-Arc extinction kit	black	10882	4007529108824



Wiring diagrams

Range diagram

1: Walking across

© 2022 B.E.G. Brück Electronic GmbH