



		TOLERANCES		PRODUCT CODE: ACT-SHXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -		
		GENERAL: ±0.5											SHEET 1 OF 3		
		ANGULAR: ±1.0°													
		TWIST: 1:600													
PROJ'N:3rd 		SCALE:2:3 @ A3		STRAIGHT: 1:600		DESCRIPTION: TRUNKING SUSPENSION HANGER			CUSTOMER REF: -			ISSUE	DATE	MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED				A	22/08/2022							ORIGINAL			
THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.															
		MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: SEE TABLE		PROJECT REF: -							

IF IN DOUBT ASK




VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	THICKNESS
ATB-GBT22/XX	50	50	100	1.10
ATB-GBT32/XX	75	50	100	1.10
ATB-GBT33/XX	75	75	125	1.10
ATB-GBT42/XX	100	50	100	1.10
ATB-GBT43/XX	100	75	125	1.10
ATB-GBT44/XX	100	100	150	1.10
ATB-GBT62/XX	150	50	100	1.10
ATB-GBT63/XX	150	75	125	1.10
ATB-GBT64/XX	150	100	150	1.10
ATB-GBT66/XX	150	150	200	1.10
ATB-GBT82/XX	200	50	100	1.42
ATB-GBT83/XX	200	75	125	1.42
ATB-GBT84/XX	200	100	150	1.42
ATB-GBT86/XX	200	150	200	1.42
ATB-GBT88/XX	200	200	250	1.42



MATERIAL ORDER CODE

ACT-SHXX/
PG
PC

EXAMPLE SHOWN:
ACT-SH33/PG




		TOLERANCES		PRODUCT CODE: ACT-SHXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5											SHEET 2 OF 3	
		ANGULAR: ±1.0°												
		PROJ'N: 3rd 		SCALE: 1:1.5 @ A3		DESCRIPTION: TRUNKING SUSPENSION HANGER			CUSTOMER REF: -		ISSUE	DATE		MODIFICATION
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		A	22/08/2022		ORIGINAL									
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.														
		MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: SEE TABLE		PROJECT REF: -						

IF IN DOUBT ASK




VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	THICKNESS
ACT-SH92/PG	225	50	100	1.42
ACT-SH93/PG	225	75	125	1.42
ACT-SH94/PG	225	100	150	1.42
ACT-SH96/PG	225	150	200	1.42
ACT-SH99/PG	225	225	275	1.42
ACT-SH122/PG	300	50	100	1.42
ACT-SH123/PG	300	75	125	1.42
ACT-SH124/PG	300	100	150	1.42
ACT-SH126/PG	300	150	200	1.42
ACT-SH128/PG	300	200	250	1.42
ACT-SH129/PG	300	225	275	1.42
ACT-SH1212/PG	300	300	350	1.42



MATERIAL ORDER CODE

ACT-SHXX/
PG
PC


EXAMPLE SHOWN:
ACT-SH66/PG



	TOLERANCES	PRODUCT CODE: ACT-SHXX/PG		CUSTOMER: -		DWN By: JM CKD By: DM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°	DESCRIPTION: TRUNKING SUSPENSION HANGER		CUSTOMER REF: -		ISSUE A	DATE 22/08/2022	MODIFICATION ORIGINAL	
	TWIST: 1:600								
PROJ'N: 3rd	SCALE: 1:2 @ A3	STRAIGHT: 1:600	MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER	THICKNESS: SEE TABLE	PROJECT REF: -		
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED									
THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ACT-SH22/PG	50	50	0.149	0.411
ACT-SH32/PG	75	50	0.173	0.477
ACT-SH33/PG	75	75	0.197	0.544
ACT-SH42/PG	100	50	0.197	0.544
ACT-SH43/PG	100	75	0.221	0.610
ACT-SH44/PG	100	100	0.244	0.673
ACT-SH62/PG	150	50	0.245	0.676
ACT-SH63/PG	150	75	0.268	0.740
ACT-SH64/PG	150	100	0.292	0.806
ACT-SH66/PG	150	150	0.340	0.938
ACT-SH82/PG	200	50	0.375	1.035
ACT-SH83/PG	200	75	0.406	1.121
ACT-SH84/PG	200	100	0.437	1.206
ACT-SH86/PG	200	150	0.498	1.374
ACT-SH88/PG	200	200	0.560	1.546
ACT-SH92/PG	225	50	0.404	1.115
ACT-SH93/PG	225	75	0.435	1.201
ACT-SH94/PG	225	100	0.466	1.286
ACT-SH96/PG	225	150	0.527	1.455
ACT-SH99/PG	225	225	0.619	1.708
ACT-SH122/PG	300	50	0.496	1.369
ACT-SH123/PG	300	75	0.527	1.455
ACT-SH124/PG	300	100	0.558	1.540
ACT-SH126/PG	300	150	0.619	1.708
ACT-SH128/PG	300	200	0.681	1.880
ACT-SH129/PG	300	225	0.711	1.962
ACT-SH1212/PG	300	300	0.804	2.219



EXAMPLE SHOWN:
ACT-SH66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg