





		TOLERANCES		PRODUCT CODE: ATB-FPFXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -			
		GENERAL: ±0.5										SHEET 1 OF 3			
		ANGULAR: ±1.0°		TWIST: 1:600		DESCRIPTION: FLANGE PLATE FITTING - TURNBUCKLE		CUSTOMER REF: -		ISSUE A		DATE 27/07/2022		MODIFICATION ORIGINAL	
PROJ'N:3rd 		SCALE: 1:2 @ A3		STRAIGHT: 1:600											
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED															
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					

IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-FPF22/XX	50	50	87
ATB-FPF32/XX	75	50	112
ATB-FPF33/XX	75	75	112
ATB-FPF42/XX	100	50	137
ATB-FPF43/XX	100	75	137
ATB-FPF44/XX	100	100	137
ATB-FPF62/XX	150	50	187
ATB-FPF63/XX	150	75	187
ATB-FPF64/XX	150	100	187
ATB-FPF66/XX	150	150	187
ATB-FPF82/XX	200	50	237
ATB-FPF83/XX	200	75	237
ATB-FPF84/XX	200	100	237
ATB-FPF86/XX	200	150	237
ATB-FPF88/XX	200	200	237


MATERIAL ORDER CODE
 ATB-FPFXX/PG
 PC



EXAMPLE SHOWN:
ATB-FPF33/PG


		TOLERANCES	PRODUCT CODE: ATB-FPFXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 2 OF 3	
		ANGULAR: ±1.0°											
PROJ'N: 3rd 		SCALE: 1:3 @ A3	DESCRIPTION: FLANGE PLATE FITTING - TURNBUCKLE		CUSTOMER REF: -		ISSUE		DATE		MODIFICATION		
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED							A		27/07/2022		ORIGINAL		
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -				

IF IN DOUBT ASK




TURNBUCKLE
ATB-TB

M5 x 6mm MULTI HEAD SCREW
ACT-M5X6




VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-FPF92/XX	225	50	262
ATB-FPF93/XX	225	75	262
ATB-FPF94/XX	225	100	262
ATB-FPF96/XX	225	150	262
ATB-FPF99/XX	225	225	262
ATB-FPF122/XX	300	50	337
ATB-FPF123/XX	300	75	337
ATB-FPF124/XX	300	100	337
ATB-FPF126/XX	300	150	337
ATB-FPF128/XX	300	200	337
ATB-FPF129/XX	300	225	337
ATB-FPF1212/XX	300	300	337



MATERIAL ORDER CODE

ATB-FPFXX/
PG
PC



EXAMPLE SHOWN:
ATB-FPF66/PG

		TOLERANCES		PRODUCT CODE: ATB-FPFXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5											SHEET 3 OF 3	
		ANGULAR: ±1.0°												
		PROJ'N: 3rd 		SCALE: 1:2 @ A3		DESCRIPTION: FLANGE PLATE FITTING - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE		MODIFICATION
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600		A	27/07/2022						ORIGINAL			
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.		MAT'L SPEC:		MAT'L FINISH:		THICKNESS:		PROJECT REF:						
		GALVANISED (PRE)		TO ORDER		0.85mm		-						

PROJ'N: 3rd


SCALE: 1:2 @ A3

ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED

THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-FPF22/PG	50	50	0.155	0.428
ATB-FPF32/PG	75	50	0.181	0.500
ATB-FPF33/PG	75	75	0.217	0.599
ATB-FPF42/PG	100	50	0.207	0.571
ATB-FPF43/PG	100	75	0.243	0.671
ATB-FPF44/PG	100	100	0.280	0.773
ATB-FPF62/PG	150	50	0.259	0.715
ATB-FPF63/PG	150	75	0.332	0.916
ATB-FPF64/PG	150	100	0.295	0.814
ATB-FPF66/PG	150	150	0.411	1.134
ATB-FPF82/PG	200	50	0.310	0.856
ATB-FPF83/PG	200	75	0.347	0.958
ATB-FPF84/PG	200	100	0.384	1.060
ATB-FPF86/PG	200	150	0.463	1.278
ATB-FPF88/PG	200	200	0.535	1.477
ATB-FPF92/PG	225	50	0.337	0.930
ATB-FPF93/PG	225	75	0.373	1.029
ATB-FPF94/PG	225	100	0.410	1.132
ATB-FPF96/PG	225	150	0.489	1.350
ATB-FPF99/PG	225	225	0.598	1.650
ATB-FPF122/PG	300	50	0.414	1.143
ATB-FPF123/PG	300	75	0.451	1.245
ATB-FPF124/PG	300	100	0.487	1.344
ATB-FPF126/PG	300	150	0.566	1.562
ATB-FPF128/PG	300	200	0.639	1.764
ATB-FPF129/PG	300	225	0.676	1.866
ATB-FPF1212/PG	300	300	0.785	2.167



EXAMPLE SHOWN:
ATB-FPF66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg