




		TOLERANCES	PRODUCT CODE: ATB-GBOXX-2C/PG			CUSTOMER: -		DWN By: DM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 1 OF 3	
		ANGULAR: ±1.0°											
PROJ'N:3rd 	SCALE: 1:2 @ A3	TWIST: 1:600	DESCRIPTION: GUSSET 90 BEND OUTSIDE LID - 2 COMP - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE	MODIFICATION			
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600						A	20/06/2023	ORIGINAL			
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm	PROJECT REF: -					

IF IN DOUBT ASK




M5 x 6mm MULTI HEAD SCREW
ACT-M5X6



VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	SPLIT
ATB-GBO22-2C/XX	50	50	76	25
ATB-GBO32-2C/XX	75	50	76	37.5
ATB-GBO33-2C/XX	75	75	101	37.5
ATB-GBO42-2C/XX	100	50	76	50
ATB-GBO43-2C/XX	100	75	101	50
ATB-GBO44-2C/XX	100	100	126	50
ATB-GBO62-2C/XX	150	50	76	75
ATB-GBO63-2C/XX	150	75	101	75
ATB-GBO64-2C/XX	150	100	126	75
ATB-GBO66-2C/XX	150	150	176	75
ATB-GBO82-2C/XX	200	50	76	100
ATB-GBO83-2C/XX	200	75	101	100
ATB-GBO84-2C/XX	200	100	126	100
ATB-GBO86-2C/XX	200	150	176	100
ATB-GBO88-2C/XX	200	200	226	100



MATERIAL ORDER CODE
ATB-GBOXX-2C/PG
PC

EXAMPLE SHOWN:
ATB-GBO33-2C/PG




		TOLERANCES		PRODUCT CODE: ATB-GBOXX-2C/PG		CUSTOMER: -		DWN By: DM		CKD By: DM		DWG No: -			
		GENERAL: ±0.5										SHEET 2 OF 3			
		ANGULAR: ±1.0°		TWIST: 1:600		DESCRIPTION: GUSSET 90 BEND OUTSIDE LID - 2 COMP - TURNBUCKLE		CUSTOMER REF: -		ISSUE A		DATE 20/06/2023		MODIFICATION ORIGINAL	
PROJ'N: 3rd 		SCALE: 1:3 @ A3		STRAIGHT: 1:600											
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED															
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					

IF IN DOUBT ASK



VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	SPLIT
ATB-GBO92-2C/XX	225	50	76	112.5
ATB-GBO93-2C/XX	225	75	101	112.5
ATB-GBO94-2C/XX	225	100	126	112.5
ATB-GBO96-2C/XX	225	150	176	112.5
ATB-GBO99-2C/XX	225	225	251	112.5
ATB-GBO122-2C/XX	300	50	76	150
ATB-GBO123-2C/XX	300	75	101	150
ATB-GBO124-2C/XX	300	100	126	150
ATB-GBO126-2C/XX	300	150	176	150
ATB-GBO128-2C/XX	300	200	226	150
ATB-GBO129-2C/XX	300	225	251	150
ATB-GBO1212-2C/XX	300	300	326	150




TURNBUCKLE
ATB-TB

MATERIAL ORDER CODE

ATB-GBOXX-2C/PG
PC


EXAMPLE SHOWN:
ATB-GBO66-2C/PG



	TOLERANCES	PRODUCT CODE: ATB-GBOXX-2C/PG		CUSTOMER: -		DWN By: DM CKD By: DM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°	DESCRIPTION: GUSSET 90 BEND OUTSIDE LID - 2 COMP - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 20/06/2023	MODIFICATION ORIGINAL	
	TWIST: 1:600								
PROJ'N: 3rd	SCALE: 1:2 @ A3	STRAIGHT: 1:600	MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER	THICKNESS: 0.85mm	PROJECT REF: -		
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED									
THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GBO22-2C/PG	50	50	0.227	0.627
ATB-GBO32-2C/PG	75	50	0.265	0.731
ATB-GBO33-2C/PG	75	75	0.381	1.052
ATB-GBO42-2C/PG	100	50	0.301	0.831
ATB-GBO43-2C/PG	100	75	0.423	1.167
ATB-GBO44-2C/PG	100	100	0.567	1.565
ATB-GBO62-2C/PG	150	50	0.372	1.027
ATB-GBO63-2C/PG	150	75	0.508	1.402
ATB-GBO64-2C/PG	150	100	0.665	1.835
ATB-GBO66-2C/PG	150	150	1.061	2.928
ATB-GBO82-2C/PG	200	50	0.443	1.223
ATB-GBO83-2C/PG	200	75	0.593	1.637
ATB-GBO84-2C/PG	200	100	0.764	2.109
ATB-GBO86-2C/PG	200	150	1.187	3.276
ATB-GBO88-2C/PG	200	200	1.674	4.620
ATB-GBO92-2C/PG	225	50	0.478	1.319
ATB-GBO93-2C/PG	225	75	0.635	1.753
ATB-GBO94-2C/PG	225	100	0.813	2.244
ATB-GBO96-2C/PG	225	150	1.250	3.450
ATB-GBO99-2C/PG	225	225	2.040	5.630
ATB-GBO122-2C/PG	300	50	0.585	1.615
ATB-GBO123-2C/PG	300	75	0.763	2.106
ATB-GBO124-2C/PG	300	100	0.962	2.655
ATB-GBO126-2C/PG	300	150	1.440	3.974
ATB-GBO128-2C/PG	300	200	1.984	5.476
ATB-GBO129-2C/PG	300	225	2.294	6.331
ATB-GBO1212-2C/PG	300	300	3.327	9.183



EXAMPLE SHOWN:
ATB-GBO66-2C/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg