





		TOLERANCES		PRODUCT CODE: ATB-GBOXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -			
		GENERAL: ±0.5										SHEET 1 OF 3			
		ANGULAR: ±1.0°													
PROJ'N:3rd 		SCALE: 1:2 @ A3		TWIST: 1:600		DESCRIPTION: GUSSET 90 BEND OUTSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE		DATE		MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600		A						31/08/2022		ORIGINAL			
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					

IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-GBO22/XX	50	50	76
ATB-GBO32/XX	75	50	76
ATB-GBO33/XX	75	75	101
ATB-GBO42/XX	100	50	76
ATB-GBO43/XX	100	75	101
ATB-GBO44/XX	100	100	126
ATB-GBO62/XX	150	50	76
ATB-GBO63/XX	150	75	101
ATB-GBO64/XX	150	100	126
ATB-GBO66/XX	150	150	176
ATB-GBO82/XX	200	50	76
ATB-GBO83/XX	200	75	101
ATB-GBO84/XX	200	100	126
ATB-GBO86/XX	200	150	176
ATB-GBO88/XX	200	200	226


MATERIAL ORDER CODE

ATB-GBOXX/PG
PC

EXAMPLE SHOWN:
ATB-GBO33/PG

		TOLERANCES		PRODUCT CODE: ATB-GBOXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5											SHEET 2 OF 3	
		ANGULAR: ±1.0°												
		PROJ'N: 3rd 		SCALE: 1:3 @ A3		DESCRIPTION: GUSSET 90 BEND OUTSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE	DATE		MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED				A	31/08/2022					ORIGINAL				
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -				


IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-GBO92/XX	225	50	76
ATB-GBO93/XX	225	75	101
ATB-GBO94/XX	225	100	126
ATB-GBO96/XX	225	150	176
ATB-GBO99/XX	225	225	251
ATB-GBO122/XX	300	50	76
ATB-GBO123/XX	300	75	101
ATB-GBO124/XX	300	100	126
ATB-GBO126/XX	300	150	176
ATB-GBO128/XX	300	200	226
ATB-GBO129/XX	300	225	251
ATB-GBO1212/XX	300	300	326

MATERIAL ORDER CODE
ATB-GBOXX/PG PC


EXAMPLE SHOWN:
ATB-GBO66/PG



	TOLERANCES	PRODUCT CODE: ATB-GBOXX/PG		CUSTOMER: -		DWN By: JM CKD By: DM		DWG No: -		
	GENERAL: ±0.5							SHEET 3 OF 3		
	ANGULAR: ±1.0°	DESCRIPTION: GUSSET 90 BEND OUTSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 31/08/2022	MODIFICATION ORIGINAL		
	TWIST: 1:600									
PROJ'N: 3rd	SCALE: 1:2 @ A3	STRAIGHT: 1:600								
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED										
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)	MAT'L FINISH: TO ORDER	THICKNESS: 0.85mm	PROJECT REF: -				

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GBO22/PG	50	50	0.204	0.563
ATB-GBO32/PG	75	50	0.239	0.660
ATB-GBO33/PG	75	75	0.332	0.916
ATB-GBO42/PG	100	50	0.275	0.759
ATB-GBO43/PG	100	75	0.374	1.032
ATB-GBO44/PG	100	100	0.488	1.347
ATB-GBO62/PG	150	50	0.346	0.955
ATB-GBO63/PG	150	75	0.459	1.267
ATB-GBO64/PG	150	100	0.587	1.620
ATB-GBO66/PG	150	150	0.902	2.490
ATB-GBO82/PG	200	50	0.417	1.151
ATB-GBO83/PG	200	75	0.544	1.501
ATB-GBO84/PG	200	100	0.685	1.891
ATB-GBO86/PG	200	150	1.028	2.837
ATB-GBO88/PG	200	200	1.408	3.886
ATB-GBO92/PG	225	50	0.452	1.248
ATB-GBO93/PG	225	75	0.586	1.617
ATB-GBO94/PG	225	100	0.734	2.026
ATB-GBO96/PG	225	150	1.091	3.011
ATB-GBO99/PG	225	225	1.710	4.720
ATB-GBO122/PG	300	50	0.559	1.543
ATB-GBO123/PG	300	75	0.714	1.971
ATB-GBO124/PG	300	100	0.883	2.437
ATB-GBO126/PG	300	150	1.282	3.538
ATB-GBO128/PG	300	200	1.717	4.739
ATB-GBO129/PG	300	225	1.963	5.418
ATB-GBO1212/PG	300	300	2.761	7.620



EXAMPLE SHOWN:
ATB-GBO66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg