



|                                                                                                                                                                                                                                                                    |  |                 |                                         |  |                                                                 |                           |  |                      |  |                   |      |              |            |          |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------|-----------------------------------------|--|-----------------------------------------------------------------|---------------------------|--|----------------------|--|-------------------|------|--------------|------------|----------|--|
|                                                                                                                                                                                     |  | TOLERANCES      | PRODUCT CODE:<br><b>ATB-GFIXX-2C/PG</b> |  |                                                                 | CUSTOMER:<br>-            |  | DWN By: <b>JM</b>    |  | CKD By: <b>DM</b> |      | DWG No: -    |            |          |  |
|                                                                                                                                                                                                                                                                    |  | GENERAL: ±0.5   |                                         |  |                                                                 |                           |  |                      |  |                   |      | SHEET 1 OF 3 |            |          |  |
|                                                                                                                                                                                                                                                                    |  | ANGULAR: ±1.0°  |                                         |  |                                                                 |                           |  |                      |  |                   |      |              |            |          |  |
| PROJ'N:3rd                                                                                                                                                                        |  | SCALE: 4:7 @ A3 | TWIST: 1:600                            |  | DESCRIPTION: GUSSET 45 BEND INSIDE LID<br>- 2 COMP - TURNBUCKLE |                           |  | CUSTOMER REF:<br>-   |  | ISSUE             | DATE | MODIFICATION |            |          |  |
| STRAIGHT: 1:600                                                                                                                                                                                                                                                    |  |                 |                                         |  |                                                                 |                           |  |                      |  |                   |      |              |            |          |  |
| ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED                                                                                                                                                                                                              |  |                 | MAT'L SPEC:<br>GALVANISED (PRE)         |  |                                                                 | MAT'L FINISH:<br>TO ORDER |  | THICKNESS:<br>0.85mm |  | PROJECT REF:<br>- |      | <b>A</b>     | 30/08/2022 | ORIGINAL |  |
|  THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART. |  |                 |                                         |  |                                                                 |                           |  |                      |  |                   |      |              |            |          |  |

**IF IN DOUBT ASK**





**VARIABLE DIMENSION TABLE**

| PRODUCT CODE    | TRUNKING WIDTH | TRUNKING HEIGHT | DIM 'A' | SPLIT |
|-----------------|----------------|-----------------|---------|-------|
| ATB-GFI22-2C/XX | 50             | 50              | 78      | 25    |
| ATB-GFI32-2C/XX | 75             | 50              | 78      | 37.5  |
| ATB-GFI33-2C/XX | 75             | 75              | 97      | 37.5  |
| ATB-GFI42-2C/XX | 100            | 50              | 78      | 50    |
| ATB-GFI43-2C/XX | 100            | 75              | 97      | 50    |
| ATB-GFI44-2C/XX | 100            | 100             | 116     | 50    |
| ATB-GFI62-2C/XX | 150            | 50              | 78      | 75    |
| ATB-GFI63-2C/XX | 150            | 75              | 97      | 75    |
| ATB-GFI64-2C/XX | 150            | 100             | 116     | 75    |
| ATB-GFI66-2C/XX | 150            | 150             | 154     | 75    |
| ATB-GFI82-2C/XX | 200            | 50              | 78      | 100   |
| ATB-GFI83-2C/XX | 200            | 75              | 97      | 100   |
| ATB-GFI84-2C/XX | 200            | 100             | 116     | 100   |
| ATB-GFI86-2C/XX | 200            | 150             | 154     | 100   |
| ATB-GFI88-2C/XX | 200            | 200             | 192     | 100   |

**MATERIAL ORDER CODE**



ATB-GFIXX-2C/PG  
PC





**EXAMPLE SHOWN:**  
ATB-GFI33-2C/PG

|                                                                                                                                                                                                                                                                    |  |                                                       |  |                                         |  |                                                                 |  |                      |  |                   |  |              |  |              |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------|--|-----------------------------------------|--|-----------------------------------------------------------------|--|----------------------|--|-------------------|--|--------------|--|--------------|--|
|                                                                                                                                                                                     |  | TOLERANCES                                            |  | PRODUCT CODE:<br><b>ATB-GFIXX-2C/PG</b> |  | CUSTOMER:<br>-                                                  |  | DWN By: <b>JM</b>    |  | CKD By: <b>DM</b> |  | DWG No: -    |  |              |  |
|                                                                                                                                                                                                                                                                    |  | GENERAL: ±0.5                                         |  |                                         |  |                                                                 |  |                      |  |                   |  | SHEET 2 OF 3 |  |              |  |
|                                                                                                                                                                                                                                                                    |  | ANGULAR: ±1.0°                                        |  |                                         |  |                                                                 |  |                      |  |                   |  |              |  |              |  |
| PROJ'N:3rd                                                                                                                                                                        |  | SCALE:4:11 @ A3                                       |  | TWIST: 1:600                            |  | DESCRIPTION: GUSSET 45 BEND INSIDE LID<br>- 2 COMP - TURNBUCKLE |  | CUSTOMER REF:<br>-   |  | ISSUE             |  | DATE         |  | MODIFICATION |  |
| STRAIGHT: 1:600                                                                                                                                                                                                                                                    |  | ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED |  | <b>A</b>                                |  |                                                                 |  |                      |  | 30/08/2022        |  | ORIGINAL     |  |              |  |
|  THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART. |  |                                                       |  | MAT'L SPEC:<br>GALVANISED (PRE)         |  | MAT'L FINISH:<br>TO ORDER                                       |  | THICKNESS:<br>0.85mm |  | PROJECT REF:<br>- |  |              |  |              |  |
|                                                                                                                                                                                                                                                                    |  |                                                       |  |                                         |  |                                                                 |  |                      |  |                   |  |              |  |              |  |

**IF IN DOUBT ASK**



**M5 x 6mm MULTI HEAD SCREW**  
ACT-M5X6



**EXAMPLE SHOWN:**  
ATB-GFI66-2C/PG

**VARIABLE DIMENSION TABLE**

| PRODUCT CODE      | TRUNKING WIDTH | TRUNKING HEIGHT | DIM 'A' | SPLIT |
|-------------------|----------------|-----------------|---------|-------|
| ATB-GFI92-2C/XX   | 225            | 50              | 78      | 112.5 |
| ATB-GFI93-2C/XX   | 225            | 75              | 97      | 112.5 |
| ATB-GFI94-2C/XX   | 225            | 100             | 116     | 112.5 |
| ATB-GFI96-2C/XX   | 225            | 150             | 154     | 112.5 |
| ATB-GFI99-2C/XX   | 225            | 225             | 211     | 112.5 |
| ATB-GFI122-2C/XX  | 300            | 50              | 78      | 150   |
| ATB-GFI123-2C/XX  | 300            | 75              | 97      | 150   |
| ATB-GFI124-2C/XX  | 300            | 100             | 116     | 150   |
| ATB-GFI126-2C/XX  | 300            | 150             | 154     | 150   |
| ATB-GFI128-2C/XX  | 300            | 200             | 192     | 150   |
| ATB-GFI129-2C/XX  | 300            | 225             | 211     | 150   |
| ATB-GFI1212-2C/XX | 300            | 300             | 269     | 150   |


**MATERIAL ORDER CODE**

ATB-GFIXX-2C/  
PG  
PC

|                                                                                                                                                                                                                                                                                |  |                 |  |                                         |            |                                                                 |  |                                     |  |                   |      |              |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------|--|-----------------------------------------|------------|-----------------------------------------------------------------|--|-------------------------------------|--|-------------------|------|--------------|--|
| <div>Armorduct</div>                                                                                                                                                                            |  | TOLERANCES      |  | PRODUCT CODE:<br><b>ATB-GFIXX-2C/PG</b> |            | CUSTOMER:<br>-                                                  |  | DWN By: <b>JM</b> CKD By: <b>DM</b> |  | DWG No: -         |      |              |  |
|                                                                                                                                                                                                                                                                                |  | GENERAL: ±0.5   |  |                                         |            |                                                                 |  |                                     |  | SHEET 3 OF 3      |      |              |  |
|                                                                                                                                                                                                                                                                                |  | ANGULAR: ±1.0°  |  |                                         |            |                                                                 |  |                                     |  |                   |      |              |  |
|                                                                                                                                                                                                                                                                                |  | TWIST: 1:600    |  |                                         |            |                                                                 |  |                                     |  |                   |      |              |  |
| PROJ'N:3rd                                                                                                                                                                                    |  | SCALE: 1:2 @ A3 |  | STRAIGHT: 1:600                         |            | DESCRIPTION: GUSSET 45 BEND INSIDE LID<br>- 2 COMP - TURNBUCKLE |  | CUSTOMER REF:<br>-                  |  | ISSUE             | DATE | MODIFICATION |  |
| ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED                                                                                                                                                                                                                          |  |                 |  | <b>A</b>                                | 30/08/2022 |                                                                 |  |                                     |  | ORIGINAL          |      |              |  |
| <div> THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.</div> |  |                 |  |                                         |            |                                                                 |  |                                     |  |                   |      |              |  |
|                                                                                                                                                                                                                                                                                |  |                 |  | MAT'L SPEC:<br>GALVANISED (PRE)         |            | MAT'L FINISH:<br>TO ORDER                                       |  | THICKNESS:<br>0.85mm                |  | PROJECT REF:<br>- |      |              |  |

IF IN DOUBT ASK

| PRODUCT DATA      |                |                 |           |                  |
|-------------------|----------------|-----------------|-----------|------------------|
| PRODUCT CODE      | TRUNKING WIDTH | TRUNKING HEIGHT | WEIGHT KG | EMBODIED CARBON* |
| ATB-GFI22-2C/PG   | 50             | 50              | 0.187     | 0.516            |
| ATB-GFI32-2C/PG   | 75             | 50              | 0.216     | 0.596            |
| ATB-GFI33-2C/PG   | 75             | 75              | 0.291     | 0.803            |
| ATB-GFI42-2C/PG   | 100            | 50              | 0.244     | 0.673            |
| ATB-GFI43-2C/PG   | 100            | 75              | 0.322     | 0.889            |
| ATB-GFI44-2C/PG   | 100            | 100             | 0.411     | 1.134            |
| ATB-GFI62-2C/PG   | 150            | 50              | 0.300     | 0.828            |
| ATB-GFI63-2C/PG   | 150            | 75              | 0.385     | 1.063            |
| ATB-GFI64-2C/PG   | 150            | 100             | 0.480     | 1.325            |
| ATB-GFI66-2C/PG   | 150            | 150             | 0.712     | 1.965            |
| ATB-GFI82-2C/PG   | 200            | 50              | 0.356     | 0.983            |
| ATB-GFI83-2C/PG   | 200            | 75              | 0.448     | 1.236            |
| ATB-GFI84-2C/PG   | 200            | 100             | 0.609     | 1.681            |
| ATB-GFI86-2C/PG   | 200            | 150             | 0.795     | 2.194            |
| ATB-GFI88-2C/PG   | 200            | 200             | 1.068     | 2.948            |
| ATB-GFI92-2C/PG   | 225            | 50              | 0.383     | 1.057            |
| ATB-GFI93-2C/PG   | 225            | 75              | 0.478     | 1.319            |
| ATB-GFI94-2C/PG   | 225            | 100             | 0.584     | 1.612            |
| ATB-GFI96-2C/PG   | 225            | 150             | 0.835     | 2.305            |
| ATB-GFI99-2C/PG   | 225            | 225             | 1.271     | 3.508            |
| ATB-GFI122-2C/PG  | 300            | 50              | 0.467     | 1.289            |
| ATB-GFI123-2C/PG  | 300            | 75              | 0.572     | 1.579            |
| ATB-GFI124-2C/PG  | 300            | 100             | 0.688     | 1.899            |
| ATB-GFI126-2C/PG  | 300            | 150             | 0.959     | 2.647            |
| ATB-GFI128-2C/PG  | 300            | 200             | 1.259     | 3.475            |
| ATB-GFI129-2C/PG  | 300            | 225             | 1.424     | 3.930            |
| ATB-GFI1212-2C/PG | 300            | 300             | 1.980     | 5.465            |



EXAMPLE SHOWN:  
ATB-GFI66-2C/PG

\*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)  
MEASURED IN Kg CO2e PER Kg