



		TOLERANCES	PRODUCT CODE: ATB-GFIXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 1 OF 3	
		ANGULAR: ±1.0°											
PROJ'N:3rd 		SCALE: 4:7 @ A3	TWIST: 1:600	DESCRIPTION: GUSSET 45 BEND INSIDE LID - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE	MODIFICATION		
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED			STRAIGHT: 1:600						A	30/08/2022	ORIGINAL		
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm	PROJECT REF: -					



IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-GFI22/XX	50	50	78
ATB-GFI32/XX	75	50	78
ATB-GFI33/XX	75	75	97
ATB-GFI42/XX	100	50	78
ATB-GFI43/XX	100	75	97
ATB-GFI44/XX	100	100	116
ATB-GFI62/XX	150	50	78
ATB-GFI63/XX	150	75	97
ATB-GFI64/XX	150	100	116
ATB-GFI66/XX	150	150	154
ATB-GFI82/XX	200	50	78
ATB-GFI83/XX	200	75	97
ATB-GFI84/XX	200	100	116
ATB-GFI86/XX	200	150	154
ATB-GFI88/XX	200	200	192

TURNBUCKLE
ATB-TB

M5 x 6mm MULTI HEAD SCREW
ACT-M5X6





MATERIAL ORDER CODE

ATB-GFIXX/PG
PC

EXAMPLE SHOWN:
ATB-GFI33/PG

		TOLERANCES		PRODUCT CODE: ATB-GFIXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -			
		GENERAL: ±0.5										SHEET 2 OF 3			
		ANGULAR: ±1.0°													
PROJ'N:3rd 		SCALE:4:11 @ A3		TWIST: 1:600		DESCRIPTION: GUSSET 45 BEND INSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE		DATE		MODIFICATION	
STRAIGHT: 1:600		ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		A						30/08/2022		ORIGINAL			
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					



IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-GFI92/XX	225	50	78
ATB-GFI93/XX	225	75	97
ATB-GFI94/XX	225	100	116
ATB-GFI96/XX	225	150	154
ATB-GFI99/XX	225	225	211
ATB-GFI122/XX	300	50	78
ATB-GFI123/XX	300	75	97
ATB-GFI124/XX	300	100	116
ATB-GFI126/XX	300	150	154
ATB-GFI126/XX	300	200	192
ATB-GFI129/XX	300	225	211
ATB-GFI1212/XX	300	300	269

TURNBUCKLE
ATB-TB

M5 x 6mm MULTI HEAD SCREW
ACT-M5X6



MATERIAL ORDER CODE


ATB-GFIXX/PG
PC

EXAMPLE SHOWN:
ATB-GFI66/PG

	TOLERANCES	PRODUCT CODE: ATB-GFIXX/PG		CUSTOMER: -		DWN By: JM CKD By: DM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°	DESCRIPTION: GUSSET 45 BEND INSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 30/08/2022	MODIFICATION ORIGINAL	
	TWIST: 1:600								
PROJ'N: 3rd  SCALE: 1:2 @ A3	STRAIGHT: 1:600	MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER	THICKNESS: 0.85mm	PROJECT REF: -			
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED									
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GFI22/PG	50	50	0.165	0.455
ATB-GFI32/PG	75	50	0.193	0.533
ATB-GFI33/PG	75	75	0.253	0.698
ATB-GFI42/PG	100	50	0.221	0.610
ATB-GFI43/PG	100	75	0.284	0.784
ATB-GFI44/PG	100	100	0.354	0.977
ATB-GFI62/PG	150	50	0.277	0.765
ATB-GFI63/PG	150	75	0.347	0.958
ATB-GFI64/PG	150	100	0.423	1.167
ATB-GFI66/PG	150	150	0.607	1.675
ATB-GFI82/PG	200	50	0.333	0.919
ATB-GFI83/PG	200	75	0.409	1.129
ATB-GFI84/PG	200	100	0.551	1.521
ATB-GFI86/PG	200	150	0.689	1.902
ATB-GFI88/PG	200	200	0.902	2.490
ATB-GFI92/PG	225	50	0.360	0.994
ATB-GFI93/PG	225	75	0.440	1.214
ATB-GFI94/PG	225	100	0.526	1.452
ATB-GFI96/PG	225	150	0.730	2.015
ATB-GFI99/PG	225	225	1.069	2.950
ATB-GFI122/PG	300	50	0.444	1.225
ATB-GFI123/PG	300	75	0.534	1.474
ATB-GFI124/PG	300	100	0.630	1.739
ATB-GFI126/PG	300	150	0.854	2.357
ATB-GFI128/PG	300	200	1.093	3.017
ATB-GFI129/PG	300	225	1.223	3.375
ATB-GFI1212/PG	300	300	1.651	4.557



EXAMPLE SHOWN:
ATB-GFI66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg