



		TOLERANCES	PRODUCT CODE: ATB-GFOXX-2C/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -		
		GENERAL: ±0.5										SHEET 1 OF 3		
		ANGULAR: ±1.0°	DESCRIPTION: GUSSET 45 BEND OUTSIDE LID - 2 COMP - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE	MODIFICATION				
		TWIST: 1:600												
PROJ'N: 3rd 	SCALE: 4:7 @ A3	STRAIGHT: 1:600												
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED														
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -		A	31/08/2022	ORIGINAL	



IF IN DOUBT ASK



VARIABLE DIMENSION TABLE

PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	SPLIT
ATB-GFO22-2C/XX	50	50	78	25
ATB-GFO32-2C/XX	75	50	78	37.5
ATB-GFO33-2C/XX	75	75	97	37.5
ATB-GFO42-2C/XX	100	50	78	50
ATB-GFO43-2C/XX	100	75	97	50
ATB-GFO44-2C/XX	100	100	116	50
ATB-GFO62-2C/XX	150	50	78	75
ATB-GFO63-2C/XX	150	75	97	75
ATB-GFO64-2C/XX	150	100	116	75
ATB-GFO66-2C/XX	150	150	154	75
ATB-GFO82-2C/XX	200	50	78	100
ATB-GFO83-2C/XX	200	75	97	100
ATB-GFO84-2C/XX	200	100	116	100
ATB-GFO86-2C/XX	200	150	154	100
ATB-GFO88-2C/XX	200	200	192	100




MATERIAL ORDER CODE
ATB-GFOXX-2C/PG
PC



EXAMPLE SHOWN:
ATB-GFO33-2C/PG

		TOLERANCES		PRODUCT CODE: ATB-GFOXX-2C/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -		
		GENERAL: ±0.5											SHEET 2 OF 3		
		ANGULAR: ±1.0°		TWIST: 1:600		DESCRIPTION: GUSSET 45 BEND OUTSIDE LID - 2 COMP - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE	MODIFICATION		
PROJ'N:3rd 		SCALE:4:11 @ A3		STRAIGHT: 1:600											
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -		A	31/08/2022	ORIGINAL	
THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.															


IF IN DOUBT ASK



VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	SPLIT
ATB-GFO92-2C/XX	225	50	78	112.5
ATB-GFO93-2C/XX	225	75	97	112.5
ATB-GFO94-2C/XX	225	100	116	112.5
ATB-GFO96-2C/XX	225	150	154	112.5
ATB-GFO99-2C/XX	225	225	211	112.5
ATB-GFO122-2C/XX	300	50	78	150
ATB-GFO123-2C/XX	300	75	97	150
ATB-GFO124-2C/XX	300	100	116	150
ATB-GFO126-2C/XX	300	150	154	150
ATB-GFO128-2C/XX	300	150	192	150
ATB-GFO129-2C/XX	300	225	211	150
ATB-GFO1212-2C/XX	300	300	269	150

MATERIAL ORDER CODE
 ATB-GFOXX-2C/PG
 PC


EXAMPLE SHOWN:
 ATB-GFO66-2C/PG



		TOLERANCES		PRODUCT CODE: ATB-GFOXX-2C/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 3 OF 3	
		ANGULAR: ±1.0°		DESCRIPTION: GUSSET 45 BEND OUTSIDE LID - 2 COMP - TURNBUCKLE		CUSTOMER REF: -		ISSUE A		DATE 31/08/2022		MODIFICATION ORIGINAL	
		TWIST: 1:600											
PROJ'N:3rd 		SCALE: 1:2 @ A3		MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -			
STRAIGHT: 1:600		ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED											
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.													

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GFO22-2C/PG	50	50	0.186	0.513
ATB-GFO32-2C/PG	75	50	0.216	0.596
ATB-GFO33-2C/PG	75	75	0.291	0.803
ATB-GFO42-2C/PG	100	50	0.244	0.673
ATB-GFO43-2C/PG	100	75	0.322	0.889
ATB-GFO44-2C/PG	100	100	0.410	1.132
ATB-GFO62-2C/PG	150	50	0.301	0.831
ATB-GFO63-2C/PG	150	75	0.385	1.063
ATB-GFO64-2C/PG	150	100	0.480	1.325
ATB-GFO66-2C/PG	150	150	0.710	1.960
ATB-GFO82-2C/PG	200	50	0.357	0.985
ATB-GFO83-2C/PG	200	75	0.448	1.236
ATB-GFO84-2C/PG	200	100	0.549	1.515
ATB-GFO86-2C/PG	200	150	0.793	2.189
ATB-GFO88-2C/PG	200	200	1.066	2.942
ATB-GFO92-2C/PG	225	50	0.385	1.063
ATB-GFO93-2C/PG	225	75	0.479	1.322
ATB-GFO94-2C/PG	225	100	0.584	1.612
ATB-GFO96-2C/PG	225	150	0.835	2.305
ATB-GFO99-2C/PG	225	225	1.276	3.522
ATB-GFO122-2C/PG	300	50	0.470	1.297
ATB-GFO123-2C/PG	300	75	0.574	1.584
ATB-GFO124-2C/PG	300	100	0.689	1.902
ATB-GFO126-2C/PG	300	150	0.960	2.650
ATB-GFO128-2C/PG	300	200	1.259	3.475
ATB-GFO129-2C/PG	300	225	1.431	3.950
ATB-GFO1212-2C/PG	300	300	1.985	5.479



EXAMPLE SHOWN:
ATB-GFO66-2C/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg