





		TOLERANCES		PRODUCT CODE: ATB-GFTXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 1 OF 3	
		ANGULAR: ±1.0°											
PROJ'N: 3rd 		SCALE: 4:7 @ A3		DESCRIPTION: GUSSET 45 BEND TOP LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE		DATE		MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600						A		30/08/2022		ORIGINAL	
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC:		MAT'L FINISH:		THICKNESS:		PROJECT REF:			
				GALVANISED (PRE)		TO ORDER		0.85mm		-			

IF IN DOUBT ASK



M5 x 6mm MULTI HEAD SCREW
ACT-M5X6




VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-GFT22/XX	50	50	75
ATB-GFT32/XX	75	50	95
ATB-GFT33/XX	75	75	95
ATB-GFT42/XX	100	50	114
ATB-GFT43/XX	100	75	114
ATB-GFT44/XX	100	100	114
ATB-GFT62/XX	150	50	152
ATB-GFT63/XX	150	75	152
ATB-GFT64/XX	150	100	152
ATB-GFT66/XX	150	150	152
ATB-GFT82/XX	200	50	190
ATB-GFT83/XX	200	75	190
ATB-GFT84/XX	200	100	190
ATB-GFT86/XX	200	150	190
ATB-GFT88/XX	200	200	190

MATERIAL ORDER CODE
ATB-GFTXX/^{PG}/_{PC}

EXAMPLE SHOWN:
ATB-GFT33/PG

		TOLERANCES		PRODUCT CODE: ATB-GFTXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -			
		GENERAL: ±0.5										SHEET 2 OF 3			
		ANGULAR: ±1.0°		TWIST: 1:600		DESCRIPTION: GUSSET 45 BEND TOP LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A		DATE 30/08/2022		MODIFICATION ORIGINAL	
PROJ'N:3rd 		SCALE: 4:11 @ A3		STRAIGHT: 1:600											
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.															

IF IN DOUBT ASK




VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-GFT92/XX	225	50	209
ATB-GFT93/XX	225	75	209
ATB-GFT94/XX	225	100	209
ATB-GFT96/XX	225	150	209
ATB-GFT99/XX	225	225	209
ATB-GFT122/XX	300	50	266
ATB-GFT123/XX	300	75	266
ATB-GFT124/XX	300	100	266
ATB-GFT126/XX	300	150	266
ATB-GFT128/XX	300	200	266
ATB-GFT129/XX	300	225	266
ATB-GFT1212/XX	300	300	266

MATERIAL ORDER CODE

ATB-GFTXX/PG
PC

EXAMPLE SHOWN:


ATB-GFT66/PG



		TOLERANCES		PRODUCT CODE: ATB-GFTXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -			
		GENERAL: ±0.5										SHEET 3 OF 3			
		ANGULAR: ±1.0°		TWIST: 1:600		DESCRIPTION: GUSSET 45 BEND TOP LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A		DATE 30/08/2022		MODIFICATION ORIGINAL	
PROJ'N:3rd 		SCALE: 1:2 @ A3		STRAIGHT: 1:600											
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.															

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GFT22/PG	50	50	0.165	0.455
ATB-GFT32/PG	75	50	0.212	0.585
ATB-GFT33/PG	75	75	0.252	0.696
ATB-GFT42/PG	100	50	0.267	0.737
ATB-GFT43/PG	100	75	0.310	0.856
ATB-GFT44/PG	100	100	0.353	0.974
ATB-GFT62/PG	150	50	0.395	1.090
ATB-GFT63/PG	150	75	0.445	1.228
ATB-GFT64/PG	150	100	0.494	1.363
ATB-GFT66/PG	150	150	0.605	1.670
ATB-GFT82/PG	200	50	0.550	1.518
ATB-GFT83/PG	200	75	0.606	1.673
ATB-GFT84/PG	200	100	0.663	1.830
ATB-GFT86/PG	200	150	0.787	2.172
ATB-GFT88/PG	200	200	0.899	2.481
ATB-GFT92/PG	225	50	0.640	1.766
ATB-GFT93/PG	225	75	0.700	1.932
ATB-GFT94/PG	225	100	0.759	2.095
ATB-GFT96/PG	225	150	0.890	2.456
ATB-GFT99/PG	225	225	1.069	2.950
ATB-GFT122/PG	300	50	0.943	2.603
ATB-GFT123/PG	300	75	1.012	2.793
ATB-GFT124/PG	300	100	1.082	2.986
ATB-GFT126/PG	300	150	1.232	3.400
ATB-GFT128/PG	300	200	1.372	3.787
ATB-GFT129/PG	300	225	1.441	3.977
ATB-GFT1212/PG	300	300	1.650	4.554



EXAMPLE SHOWN:
ATB-GFT66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg