



		TOLERANCES		PRODUCT CODE: ATB-GITXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -		
		GENERAL: ±0.5											SHEET 1 OF 3		
		ANGULAR: ±1.0°													
PROJ'N: 3rd 		SCALE: 1:2 @ A3		TWIST: 1:600		DESCRIPTION: GUSSET INTERSECTION TOP LID - TURNBUCKLE			CUSTOMER REF: -		ISSUE A	DATE 24/08/2022	MODIFICATION ORIGINAL		
STRAIGHT: 1:600															
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED															
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					


IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-GIT22/XX	50	50	100
ATB-GIT32/XX	75	50	125
ATB-GIT33/XX	75	75	125
ATB-GIT42/XX	100	50	150
ATB-GIT43/XX	100	75	150
ATB-GIT44/XX	100	100	150
ATB-GIT62/XX	150	50	200
ATB-GIT63/XX	150	75	200
ATB-GIT64/XX	150	100	200
ATB-GIT66/XX	150	150	200
ATB-GIT82/XX	200	50	250
ATB-GIT83/XX	200	75	250
ATB-GIT84/XX	200	100	250
ATB-GIT86/XX	200	150	250
ATB-GIT88/XX	200	200	250





MATERIAL ORDER CODE
ATB-GITXX/PG PC

EXAMPLE SHOWN:
ATB-GIT33/PG



		TOLERANCES		PRODUCT CODE: ATB-GITXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5											SHEET 2 OF 3	
		ANGULAR: ±1.0°		DESCRIPTION: GUSSET INTERSECTION TOP LID - TURNBUCKLE			CUSTOMER REF: -		ISSUE A		DATE 24/08/2022		MODIFICATION ORIGINAL	
TWIST: 1:600														
PROJ'N:3rd 		SCALE: 1:3 @ A3		STRAIGHT: 1:600		-		-						
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED														
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.					MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -			

IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-GIT92/XX	225	50	274
ATB-GIT93/XX	225	75	274
ATB-GIT94/XX	225	100	274
ATB-GIT96/XX	225	150	274
ATB-GIT99/XX	225	225	274
ATB-GIT122/XX	300	50	349
ATB-GIT123/XX	300	75	349
ATB-GIT124/XX	300	100	349
ATB-GIT126/XX	300	150	349
ATB-GIT128/XX	300	200	349
ATB-GIT129/XX	300	225	349
ATB-GIT1212/XX	300	300	349


MATERIAL ORDER CODE
 ATB-GITXX/PG
 PC

EXAMPLE SHOWN:
 ATB-GIT66/PG

	TOLERANCES	PRODUCT CODE: ATB-GITXX/PG		CUSTOMER: -		DWN By: JM CKD By: DM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°	DESCRIPTION: GUSSET INTERSECTION TOP LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 24/08/2022	MODIFICATION ORIGINAL	
	TWIST: 1:600								
PROJ'N: 3rd	SCALE: 1:2 @ A3	STRAIGHT: 1:600							
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED									
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)	MAT'L FINISH: TO ORDER	THICKNESS: 0.85mm	PROJECT REF: -			

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GIT22/PG	50	50	0.320	0.883
ATB-GIT32/PG	75	50	0.411	1.134
ATB-GIT33/PG	75	75	0.471	1.300
ATB-GIT42/PG	100	50	0.519	1.432
ATB-GIT43/PG	100	75	0.579	1.598
ATB-GIT44/PG	100	100	0.640	1.766
ATB-GIT62/PG	150	50	0.789	2.178
ATB-GIT63/PG	150	75	0.850	2.346
ATB-GIT64/PG	150	100	0.910	2.512
ATB-GIT66/PG	150	150	1.054	2.909
ATB-GIT82/PG	200	50	1.122	3.097
ATB-GIT83/PG	200	75	1.183	3.265
ATB-GIT84/PG	200	100	1.243	3.431
ATB-GIT86/PG	200	150	1.387	3.828
ATB-GIT88/PG	200	200	1.508	4.162
ATB-GIT92/PG	225	50	1.310	3.616
ATB-GIT93/PG	225	75	1.370	3.781
ATB-GIT94/PG	225	100	1.431	3.950
ATB-GIT96/PG	225	150	1.575	4.347
ATB-GIT99/PG	225	225	1.757	4.849
ATB-GIT122/PG	300	50	1.984	5.476
ATB-GIT123/PG	300	75	2.044	5.641
ATB-GIT124/PG	300	100	2.105	5.810
ATB-GIT126/PG	300	150	2.249	6.207
ATB-GIT128/PG	300	200	2.370	6.541
ATB-GIT129/PG	300	225	2.431	6.710
ATB-GIT1212/PG	300	300	2.612	7.209



EXAMPLE SHOWN:
ATB-GIT66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg