



		TOLERANCES	PRODUCT CODE: ATB-GTOXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 1 OF 3	
		ANGULAR: ±1.0°											
PROJ'N:3rd 		SCALE: 1:2 @ A3	TWIST: 1:600		DESCRIPTION: GUSSET TEE OUTSIDE LID - TURNBUCKLE			CUSTOMER REF: -		ISSUE A	DATE 30/08/2022	MODIFICATION ORIGINAL	
STRAIGHT: 1:600													
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED													
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm	PROJECT REF: -					

IF IN DOUBT ASK




VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	DIM 'B'
ATB-GTO22/XX	50	50	100	76
ATB-GTO32/XX	75	50	100	76
ATB-GTO33/XX	75	75	125	101
ATB-GTO42/XX	100	50	100	76
ATB-GTO43/XX	100	75	125	101
ATB-GTO44/XX	100	100	150	126
ATB-GTO62/XX	150	50	100	76
ATB-GTO63/XX	150	75	125	101
ATB-GTO64/XX	150	100	150	126
ATB-GTO66/XX	150	150	200	176
ATB-GTO82/XX	200	50	100	76
ATB-GTO83/XX	200	75	125	101
ATB-GTO84/XX	200	100	150	126
ATB-GTO86/XX	200	150	200	176
ATB-GTO88/XX	200	200	250	226




MATERIAL ORDER CODE
 ATB-GTOXX/PG
 PC

EXAMPLE SHOWN:
ATB-GTO33/PG




		TOLERANCES		PRODUCT CODE: ATB-GTOXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -			
		GENERAL: ±0.5										SHEET 2 OF 3			
		ANGULAR: ±1.0°													
PROJ'N:3rd 		SCALE:2:7 @ A3		TWIST: 1:600		DESCRIPTION: GUSSET TEE OUTSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE		DATE		MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600		A						30/08/2022		ORIGINAL			
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					

IF IN DOUBT ASK




VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	DIM 'B'
ATB-GTO92/XX	225	50	100	76
ATB-GTO93/XX	225	75	125	101
ATB-GTO94/XX	225	100	150	126
ATB-GTO96/XX	225	150	200	176
ATB-GTO99/XX	225	225	274	251
ATB-GTO122/XX	300	50	100	76
ATB-GTO123/XX	300	75	125	101
ATB-GTO124/XX	300	100	150	126
ATB-GTO126/XX	300	150	200	176
ATB-GTO128/XX	300	200	250	226
ATB-GTO129/XX	300	225	274	251
ATB-GTO1212/XX	300	300	349	326



MATERIAL ORDER CODE
ATB-GTOXX/PG
PC

EXAMPLE SHOWN:
ATB-GTO66/PG



	TOLERANCES	PRODUCT CODE: ATB-GTOXX/PG		CUSTOMER: -		DWN By: JM CKD By: DM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°	DESCRIPTION: GUSSET TEE OUTSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 30/08/2022	MODIFICATION ORIGINAL	
	TWIST: 1:600								
PROJ'N: 3rd  SCALE: 1:2 @ A3	STRAIGHT: 1:600	MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER	THICKNESS: 0.85mm	PROJECT REF: -			
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED									
© THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GTO22/PG	50	50	0.279	0.770
ATB-GTO32/PG	75	50	0.322	0.889
ATB-GTO33/PG	75	75	0.431	1.190
ATB-GTO42/PG	100	50	0.365	1.007
ATB-GTO43/PG	100	75	0.478	1.319
ATB-GTO44/PG	100	100	0.608	1.678
ATB-GTO62/PG	150	50	0.451	1.245
ATB-GTO63/PG	150	75	0.573	1.581
ATB-GTO64/PG	150	100	0.711	1.962
ATB-GTO66/PG	150	150	1.063	2.934
ATB-GTO82/PG	200	50	0.537	1.482
ATB-GTO83/PG	200	75	0.667	1.841
ATB-GTO84/PG	200	100	0.814	2.247
ATB-GTO86/PG	200	150	1.182	3.262
ATB-GTO88/PG	200	200	1.593	4.397
ATB-GTO92/PG	225	50	0.579	1.598
ATB-GTO93/PG	225	75	0.714	1.971
ATB-GTO94/PG	225	100	0.865	2.387
ATB-GTO96/PG	225	150	1.241	3.425
ATB-GTO99/PG	225	225	1.892	5.222
ATB-GTO122/PG	300	50	0.708	1.954
ATB-GTO123/PG	300	75	0.855	2.360
ATB-GTO124/PG	300	100	1.019	2.812
ATB-GTO126/PG	300	150	1.420	3.919
ATB-GTO128/PG	300	200	1.865	5.147
ATB-GTO129/PG	300	225	2.109	5.821
ATB-GTO1212/PG	300	300	2.952	8.148



EXAMPLE SHOWN:
ATB-GTO66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg