





		TOLERANCES	PRODUCT CODE: ATB-GTTXX-2C/PG			CUSTOMER: -		DWN By: DM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 1 OF 3	
		ANGULAR: ±1.0°											
PROJ'N: 3rd 		SCALE: 1:2 @ A3	TWIST: 1:600		DESCRIPTION: GUSSET TEE TOP LID - 2 COMP - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE	MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600		A						30/04/2024	ORIGINAL		
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm	PROJECT REF: -					

IF IN DOUBT ASK



VARIABLE DIMENSION TABLE					
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	DIM 'B'	SPLIT
ATB-GTT22-2C/XX	50	50	100	75	25
ATB-GTT32-2C/XX	75	50	125	100	37.5
ATB-GTT33-2C/XX	75	75	125	100	37.5
ATB-GTT42-2C/XX	100	50	150	125	50
ATB-GTT43-2C/XX	100	75	150	125	50
ATB-GTT44-2C/XX	100	100	150	125	50
ATB-GTT62-2C/XX	150	50	200	175	75
ATB-GTT63-2C/XX	150	75	200	175	75
ATB-GTT64-2C/XX	150	100	200	175	75
ATB-GTT66-2C/XX	150	150	200	175	75
ATB-GTT82-2C/XX	200	50	250	225	100
ATB-GTT83-2C/XX	200	75	250	225	100
ATB-GTT84-2C/XX	200	100	250	225	100
ATB-GTT86-2C/XX	200	150	250	225	100
ATB-GTT88-2C/XX	200	200	250	225	100





MATERIAL ORDER CODE
ATB-GTTXX-2C/ PG PC



EXAMPLE SHOWN:
ATB-GTT33-2C/PG

		TOLERANCES	PRODUCT CODE: ATB-GTTXX-2C/PG			CUSTOMER: -		DWN By: DM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 2 OF 3	
		ANGULAR: ±1.0°		TWIST: 1:600	DESCRIPTION: GUSSET TEE TOP LID - 2 COMP - TURNBUCKLE			CUSTOMER REF: -		ISSUE A	DATE 30/04/2024	MODIFICATION ORIGINAL	
PROJ'N: 3rd 		SCALE: 1:3 @ A3	STRAIGHT: 1:600										
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED													
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm	PROJECT REF: -					

IF IN DOUBT ASK



VARIABLE DIMENSION TABLE					
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	DIM 'B'	SPLIT
ATB-GTT92-2C/XX	225	50	274	250	112.5
ATB-GTT93-2C/XX	225	75	274	250	112.5
ATB-GTT94-2C/XX	225	100	274	250	112.5
ATB-GTT96-2C/XX	225	150	274	250	112.5
ATB-GTT99-2C/XX	225	225	274	250	112.5
ATB-GTT122-2C/XX	300	50	349	325	150
ATB-GTT123-2C/XX	300	75	349	325	150
ATB-GTT124-2C/XX	300	100	349	325	150
ATB-GTT126-2C/XX	300	150	349	325	150
ATB-GTT128-2C/XX	300	200	349	325	150
ATB-GTT129-2C/XX	300	225	349	325	150
ATB-GTT1212-2C/XX	300	300	349	325	150




MATERIAL ORDER CODE
 ATB-GTTXX-2C/PG
 PC

EXAMPLE SHOWN:
 ATB-GTT66-2C/PG

	TOLERANCES	PRODUCT CODE: ATB-GTTXX-2C/PG		CUSTOMER: -		DWN By: DM CKD By: DM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°								
	PROJ'N: 3rd	SCALE: 1:2 @ A3	DESCRIPTION: GUSSET TEE TOP LID - 2 COMP - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 30/04/2024	MODIFICATION ORIGINAL
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -	
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GTT22-2C/PG	50	50	0.338	0.933
ATB-GTT32-2C/PG	75	50	0.452	1.248
ATB-GTT33-2C/PG	75	75	0.547	1.510
ATB-GTT42-2C/PG	100	50	0.587	1.620
ATB-GTT43-2C/PG	100	75	0.694	1.915
ATB-GTT44-2C/PG	100	100	0.801	2.211
ATB-GTT62-2C/PG	150	50	0.923	2.547
ATB-GTT63-2C/PG	150	75	1.055	2.912
ATB-GTT64-2C/PG	150	100	1.187	3.276
ATB-GTT66-2C/PG	150	150	1.468	4.052
ATB-GTT82-2C/PG	200	50	1.340	3.698
ATB-GTT83-2C/PG	200	75	1.497	4.132
ATB-GTT84-2C/PG	200	100	1.654	4.565
ATB-GTT86-2C/PG	200	150	1.985	5.479
ATB-GTT88-2C/PG	200	200	2.299	6.345
ATB-GTT92-2C/PG	225	50	1.575	4.347
ATB-GTT93-2C/PG	225	75	1.744	4.813
ATB-GTT94-2C/PG	225	100	1.914	5.283
ATB-GTT96-2C/PG	225	150	2.269	6.262
ATB-GTT99-2C/PG	225	225	2.777	7.665
ATB-GTT122-2C/PG	300	50	2.418	6.674
ATB-GTT123-2C/PG	300	75	2.625	7.245
ATB-GTT124-2C/PG	300	100	2.832	7.816
ATB-GTT126-2C/PG	300	150	3.263	9.006
ATB-GTT128-2C/PG	300	200	3.677	10.149
ATB-GTT129-2C/PG	300	225	3.884	10.720
ATB-GTT1212-2C/PG	300	300	4.505	12.434



EXAMPLE SHOWN:
ATB-GTT66-2C/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg