


		TOLERANCES	PRODUCT CODE: ATB-GTTXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 1 OF 3	
		ANGULAR: ±1.0°											
PROJ'N: 3rd 		SCALE: 1:2 @ A3	TWIST: 1:600	DESCRIPTION: GUSSET TEE TOP LID - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE	MODIFICATION		
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED			STRAIGHT: 1:600						A	24/08/2022	ORIGINAL		
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.			MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -				


IF IN DOUBT ASK



VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	DIM 'B'
ATB-GTT22/XX	50	50	100	75
ATB-GTT32/XX	75	50	125	100
ATB-GTT33/XX	75	75	125	100
ATB-GTT42/XX	100	50	150	125
ATB-GTT43/XX	100	75	150	125
ATB-GTT44/XX	100	100	150	125
ATB-GTT62/XX	150	50	200	175
ATB-GTT63/XX	150	75	200	175
ATB-GTT64/XX	150	100	200	175
ATB-GTT66/XX	150	150	200	175
ATB-GTT82/XX	200	50	250	225
ATB-GTT83/XX	200	75	250	225
ATB-GTT84/XX	200	100	250	225
ATB-GTT86/XX	200	150	250	225
ATB-GTT88/XX	200	200	250	225


MATERIAL ORDER CODE
 ATB-GTTXX/PG
 PC

EXAMPLE SHOWN:
 ATB-GTT33/PG



		TOLERANCES		PRODUCT CODE: ATB-GTTXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5											SHEET 2 OF 3	
		ANGULAR: ±1.0°		TWIST: 1:600		DESCRIPTION: GUSSET TEE TOP LID - TURNBUCKLE			CUSTOMER REF: -		ISSUE A	DATE 24/08/2022	MODIFICATION ORIGINAL	
PROJ'N:3rd 		SCALE: 1:3 @ A3												
STRAIGHT: 1:600														
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED														
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -				


IF IN DOUBT ASK



VARIABLE DIMENSION TABLE				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'	DIM 'B'
ATB-GTT92/XX	225	50	274	250
ATB-GTT93/XX	225	75	274	250
ATB-GTT94/XX	225	100	274	250
ATB-GTT96/XX	225	150	274	250
ATB-GTT99/XX	225	225	274	250
ATB-GTT122/XX	300	50	349	325
ATB-GTT123/XX	300	75	349	325
ATB-GTT124/XX	300	100	349	325
ATB-GTT126/XX	300	150	349	325
ATB-GTT128/XX	300	200	349	325
ATB-GTT129/XX	300	225	349	325
ATB-GTT1212/XX	300	300	349	325

MATERIAL ORDER CODE
 ATB-GTTXX/PG
 PC


EXAMPLE SHOWN:
 ATB-GTT66/PG



 PROJ'N:3rd  SCALE: 1:2 @ A3 ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED  THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.		TOLERANCES		PRODUCT CODE: ATB-GTTXX/PG				CUSTOMER: -				DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5														SHEET 3 OF 3	
		ANGULAR: ±1.0°		DESCRIPTION: GUSSET TEE TOP LID - TURNBUCKLE				CUSTOMER REF: -				ISSUE		DATE		MODIFICATION	
		TWIST: 1:600										A		24/08/2022		ORIGINAL	
STRAIGHT: 1:600		MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-GTT22/PG	50	50	0.280	0.773
ATB-GTT32/PG	75	50	0.371	1.024
ATB-GTT33/PG	75	75	0.430	1.187
ATB-GTT42/PG	100	50	0.479	1.322
ATB-GTT43/PG	100	75	0.543	1.499
ATB-GTT44/PG	100	100	0.606	1.673
ATB-GTT62/PG	150	50	0.749	2.067
ATB-GTT63/PG	150	75	0.821	2.266
ATB-GTT64/PG	150	100	0.893	2.465
ATB-GTT66/PG	150	150	1.054	2.909
ATB-GTT82/PG	200	50	1.082	2.986
ATB-GTT83/PG	200	75	1.162	3.207
ATB-GTT84/PG	200	100	1.243	3.431
ATB-GTT86/PG	200	150	1.420	3.919
ATB-GTT88/PG	200	200	1.581	4.364
ATB-GTT92/PG	225	50	1.270	3.505
ATB-GTT93/PG	225	75	1.355	3.740
ATB-GTT94/PG	225	100	1.439	3.972
ATB-GTT96/PG	225	150	1.625	4.485
ATB-GTT99/PG	225	225	1.879	5.186
ATB-GTT122/PG	300	50	1.945	5.368
ATB-GTT123/PG	300	75	2.042	5.636
ATB-GTT124/PG	300	100	2.139	5.904
ATB-GTT126/PG	300	150	2.350	6.486
ATB-GTT128/PG	300	200	2.544	7.021
ATB-GTT129/PG	300	225	2.641	7.289
ATB-GTT1212/PG	300	300	2.933	8.095



EXAMPLE SHOWN:
ATB-GTT66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg