




		TOLERANCES		PRODUCT CODE: ATB-SBOXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5											SHEET 1 OF 3	
		ANGULAR: ±1.0°												
		PROJ'N:3rd 		SCALE: 1:2 @ A3		DESCRIPTION: SHARP 90 BEND OUTSIDE LID - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE	MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		TWIST: 1:600	STRAIGHT: 1:600	A	31/08/2022						ORIGINAL			
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.		MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -						

IF IN DOUBT ASK



M5 x 6mm MULTI HEAD SCREW
ACT-M5X6




VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-SBO22/XX	50	50	76
ATB-SBO32/XX	75	50	76
ATB-SBO33/XX	75	75	101
ATB-SBO42/XX	100	50	76
ATB-SBO43/XX	100	75	101
ATB-SBO44/XX	100	100	126
ATB-SBO62/XX	150	50	76
ATB-SBO63/XX	150	75	101
ATB-SBO64/XX	150	100	126
ATB-SBO66/XX	150	150	176
ATB-SBO82/XX	200	50	76
ATB-SBO83/XX	200	75	101
ATB-SBO84/XX	200	100	126
ATB-SBO86/XX	200	150	176
ATB-SBO88/XX	200	200	226

MATERIAL ORDER CODE


ATB-SBOXX/
PG
PC

EXAMPLE SHOWN:
ATB-SBO33/PG



		TOLERANCES		PRODUCT CODE: ATB-SBOXX/PG			CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5											SHEET 2 OF 3	
		ANGULAR: ±1.0°												
		PROJ'N: 3rd 		SCALE: 1:3 @ A3		DESCRIPTION: SHARP 90 BEND OUTSIDE LID - TURNBUCKLE			CUSTOMER REF: -		ISSUE	DATE		MODIFICATION
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		A	31/08/2022		ORIGINAL									
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.		MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -						


IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-SBO92/XX	225	50	76
ATB-SBO93/XX	225	75	101
ATB-SBO94/XX	225	100	126
ATB-SBO96/XX	225	150	176
ATB-SBO99/XX	225	225	251
ATB-SBO122/XX	300	50	76
ATB-SBO123/XX	300	75	101
ATB-SBO124/XX	300	100	126
ATB-SBO126/XX	300	150	176
ATB-SBO128/XX	300	200	226
ATB-SBO129/XX	300	225	251
ATB-SBO1212/XX	300	300	326

MATERIAL ORDER CODE
ATB-SBOXX/PG
PC

EXAMPLE SHOWN:
ATB-SBO66/PG



	TOLERANCES	PRODUCT CODE: ATB-SBOXX/PG		CUSTOMER: -		DWN By: JM CKD By: DM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°	DESCRIPTION: SHARP 90 BEND OUTSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 31/08/2022	MODIFICATION ORIGINAL	
	TWIST: 1:600								
PROJ'N: 3rd  SCALE: 1:2 @ A3	STRAIGHT: 1:600	MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER	THICKNESS: 0.85mm	PROJECT REF: -			
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED									
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-SBO22/PG	50	50	0.239	0.660
ATB-SBO32/PG	75	50	0.281	0.776
ATB-SBO33/PG	75	75	0.391	1.079
ATB-SBO42/PG	100	50	0.323	0.891
ATB-SBO43/PG	100	75	0.442	1.220
ATB-SBO44/PG	100	100	0.577	1.593
ATB-SBO62/PG	150	50	0.408	1.126
ATB-SBO63/PG	150	75	0.543	1.499
ATB-SBO64/PG	150	100	0.695	1.918
ATB-SBO66/PG	150	150	1.067	2.945
ATB-SBO82/PG	200	50	0.493	1.361
ATB-SBO83/PG	200	75	0.645	1.780
ATB-SBO84/PG	200	100	0.813	2.244
ATB-SBO86/PG	200	150	1.219	3.364
ATB-SBO88/PG	200	200	1.673	4.617
ATB-SBO92/PG	225	50	0.535	1.477
ATB-SBO93/PG	225	75	0.695	1.918
ATB-SBO94/PG	225	100	0.872	2.407
ATB-SBO96/PG	225	150	1.295	3.574
ATB-SBO99/PG	225	225	2.033	5.611
ATB-SBO122/PG	300	50	0.663	1.830
ATB-SBO123/PG	300	75	0.848	2.340
ATB-SBO124/PG	300	100	1.050	2.898
ATB-SBO126/PG	300	150	1.523	4.203
ATB-SBO128/PG	300	200	2.044	5.641
ATB-SBO129/PG	300	225	2.338	6.453
ATB-SBO1212/PG	300	300	3.295	9.094



EXAMPLE SHOWN:
ATB-SBO66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg