




		TOLERANCES		PRODUCT CODE: ATB-SFOXX/PG		CUSTOMER: -		DWN By: JM		CKD By: JM		DWG No: -			
		GENERAL: ±0.5										SHEET 1 OF 3			
		ANGULAR: ±1.0°		TWIST: 1:600		DESCRIPTION: SHARP 45 BEND OUTSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A		DATE 31/08/2022		MODIFICATION ORIGINAL	
PROJ'N:3rd 		SCALE: 4:7 @ A3		STRAIGHT: 1:600											
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					

IF IN DOUBT ASK




VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-SFO22/XX	50	50	78
ATB-SFO32/XX	75	50	78
ATB-SFO33/XX	75	75	97
ATB-SFO42/XX	100	50	78
ATB-SFO43/XX	100	75	97
ATB-SFO44/XX	100	100	116
ATB-SFO62/XX	150	50	78
ATB-SFO63/XX	150	75	97
ATB-SFO64/XX	150	100	116
ATB-SFO66/XX	150	150	154
ATB-SFO82/XX	200	50	78
ATB-SFO83/XX	200	75	97
ATB-SFO84/XX	200	100	116
ATB-SFO86/XX	200	150	154
ATB-SFO88/XX	200	200	192

MATERIAL ORDER CODE
 ATB-SFOXX/^{PG}_{PC}





EXAMPLE SHOWN:
 ATB-SFO33/PG



		TOLERANCES		PRODUCT CODE: ATB-SFOXX/PG			CUSTOMER: -		DWN By: JM		CKD By: JM		DWG No: -				
		GENERAL: ±0.5											SHEET 2 OF 3				
		ANGULAR: ±1.0°															
PROJ'N:3rd 		SCALE:4:11 @ A3		TWIST: 1:600		DESCRIPTION: SHARP 45 BEND OUTSIDE LID - TURNBUCKLE			CUSTOMER REF: -			ISSUE	DATE		MODIFICATION		
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600		A	31/08/2022							ORIGINAL					
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -							


IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-SFO92/XX	225	50	78
ATB-SFO93/XX	225	75	97
ATB-SFO94/XX	225	100	116
ATB-SFO96/XX	225	150	154
ATB-SFO99/XX	225	225	211
ATB-SFO122/XX	300	50	78
ATB-SFO123/XX	300	75	97
ATB-SFO124/XX	300	100	116
ATB-SFO126/XX	300	150	154
ATB-SFO128/XX	300	150	192
ATB-SFO129/XX	300	225	211
ATB-SFO1212/XX	300	300	269


TURNBUCKLE
ATB-TB

M5 x 6mm MULTI HEAD SCREW
ACT-M5X6



MATERIAL ORDER CODE
ATB-SFOXX/PG
PC


EXAMPLE SHOWN:
ATB-SFO66/PG



	TOLERANCES	PRODUCT CODE: ATB-SFOXX/PG		CUSTOMER: -		DWN By: JM CKD By: JM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°	DESCRIPTION: SHARP 45 BEND OUTSIDE LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 31/08/2022	MODIFICATION ORIGINAL	
	TWIST: 1:600								
PROJ'N: 3rd  SCALE: 1:2 @ A3	STRAIGHT: 1:600	MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER	THICKNESS: 0.85mm	PROJECT REF: -			
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED									
© THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-SFO22/PG	50	50	0.174	0.480
ATB-SFO32/PG	75	50	0.203	0.560
ATB-SFO33/PG	75	75	0.265	0.731
ATB-SFO42/PG	100	50	0.232	0.640
ATB-SFO43/PG	100	75	0.298	0.822
ATB-SFO44/PG	100	100	0.371	1.024
ATB-SFO62/PG	150	50	0.291	0.803
ATB-SFO63/PG	150	75	0.363	1.002
ATB-SFO64/PG	150	100	0.443	1.223
ATB-SFO66/PG	150	150	0.634	1.750
ATB-SFO82/PG	200	50	0.349	0.963
ATB-SFO83/PG	200	75	0.429	1.184
ATB-SFO84/PG	200	100	0.515	1.421
ATB-SFO86/PG	200	150	0.720	1.987
ATB-SFO88/PG	200	200	0.942	2.600
ATB-SFO92/PG	225	50	0.378	1.043
ATB-SFO93/PG	225	75	0.461	1.272
ATB-SFO94/PG	225	100	0.551	1.521
ATB-SFO96/PG	225	150	0.763	2.106
ATB-SFO99/PG	225	225	1.124	3.102
ATB-SFO122/PG	300	50	0.466	1.286
ATB-SFO123/PG	300	75	0.560	1.546
ATB-SFO124/PG	300	100	0.660	1.822
ATB-SFO126/PG	300	150	0.893	2.465
ATB-SFO128/PG	300	200	1.143	3.155
ATB-SFO129/PG	300	225	1.285	3.547
ATB-SFO1212/PG	300	300	1.732	4.780



EXAMPLE SHOWN:
ATB-SFO66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg