




		TOLERANCES		PRODUCT CODE: ATB-SITXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -			
		GENERAL: ±0.5										SHEET 1 OF 3			
		ANGULAR: ±1.0°													
PROJ'N:3rd 		SCALE: 1:2 @ A3		TWIST: 1:600		DESCRIPTION: SHARP INTERSECTION TOP LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE		DATE		MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600		A						24/08/2022		ORIGINAL			
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.				MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					


IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-SIT22/XX	50	50	100
ATB-SIT32/XX	75	50	125
ATB-SIT33/XX	75	75	125
ATB-SIT42/XX	100	50	150
ATB-SIT43/XX	100	75	150
ATB-SIT44/XX	100	100	150
ATB-SIT62/XX	150	50	200
ATB-SIT63/XX	150	75	200
ATB-SIT64/XX	150	100	200
ATB-SIT66/XX	150	150	200
ATB-SIT82/XX	200	50	250
ATB-SIT83/XX	200	75	250
ATB-SIT84/XX	200	100	250
ATB-SIT86/XX	200	150	250
ATB-SIT88/XX	200	200	250



MATERIAL ORDER CODE
ATB-SITXX/ PG PC

EXAMPLE SHOWN:
ATB-SIT33/PG





		TOLERANCES		PRODUCT CODE: ATB-SITXX/PG		CUSTOMER: -		DWN By: JM		CKD By: DM		DWG No: -	
		GENERAL: ±0.5										SHEET 2 OF 3	
		ANGULAR: ±1.0°											
PROJ'N: 3rd 		SCALE: 1:3 @ A3		DESCRIPTION: SHARP INTERSECTION TOP LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE		DATE		MODIFICATION	
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		STRAIGHT: 1:600						A		24/08/2022		ORIGINAL	
 THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.		MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm		PROJECT REF: -					

IF IN DOUBT ASK



VARIABLE DIMENSION TABLE			
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	DIM 'A'
ATB-SIT92/XX	225	50	274
ATB-SIT93/XX	225	75	274
ATB-SIT94/XX	225	100	274
ATB-SIT96/XX	225	150	274
ATB-SIT99/XX	225	225	274
ATB-SIT122/XX	300	50	349
ATB-SIT123/XX	300	75	349
ATB-SIT124/XX	300	100	349
ATB-SIT126/XX	300	150	349
ATB-SIT128/XX	300	150	349
ATB-SIT129/XX	300	225	349
ATB-SIT1212/XX	300	300	349

MATERIAL ORDER CODE
ATB-SITXX/ PG PC




EXAMPLE SHOWN:
ATB-SIT66/PG

	TOLERANCES	PRODUCT CODE: ATB-SITXX/PG		CUSTOMER: -		DWN By: JM CKD By: DM		DWG No: -	
	GENERAL: ±0.5							SHEET 3 OF 3	
	ANGULAR: ±1.0°	DESCRIPTION: SHARP INTERSECTION TOP LID - TURNBUCKLE		CUSTOMER REF: -		ISSUE A	DATE 24/08/2022	MODIFICATION ORIGINAL	
	TWIST: 1:600								
PROJ'N: 3rd  SCALE: 1:2 @ A3	STRAIGHT: 1:600	MAT'L SPEC: GALVANISED (PRE)		MAT'L FINISH: TO ORDER		THICKNESS: 0.85mm	PROJECT REF: -		
ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED									
THIS DRAWING IS THE PROPERTY OF ARMORDUCT SYSTEMS Ltd AND IS ONLY ISSUED ON CONDITION THAT NO COPY IS TAKEN OR REPRODUCTION DISCLOSED TO A THIRD PARTY, EITHER WHOLLY, OR IN PART.									

IF IN DOUBT ASK

PRODUCT DATA				
PRODUCT CODE	TRUNKING WIDTH	TRUNKING HEIGHT	WEIGHT KG	EMBODIED CARBON*
ATB-SIT22/PG	50	50	0.327	0.903
ATB-SIT32/PG	75	50	0.418	1.154
ATB-SIT33/PG	75	75	0.487	1.344
ATB-SIT42/PG	100	50	0.526	1.452
ATB-SIT43/PG	100	75	0.595	1.642
ATB-SIT44/PG	100	100	0.663	1.830
ATB-SIT62/PG	150	50	0.797	2.200
ATB-SIT63/PG	150	75	0.865	2.387
ATB-SIT64/PG	150	100	0.934	2.578
ATB-SIT66/PG	150	150	1.094	3.019
ATB-SIT82/PG	200	50	1.129	3.116
ATB-SIT83/PG	200	75	1.198	3.306
ATB-SIT84/PG	200	100	1.267	3.497
ATB-SIT86/PG	200	150	1.427	3.939
ATB-SIT88/PG	200	200	1.564	4.317
ATB-SIT92/PG	225	50	1.317	3.635
ATB-SIT93/PG	225	75	1.386	3.825
ATB-SIT94/PG	225	100	1.454	4.013
ATB-SIT96/PG	225	150	1.614	4.455
ATB-SIT99/PG	225	225	1.821	5.026
ATB-SIT122/PG	300	50	1.991	5.495
ATB-SIT123/PG	300	75	2.060	5.686
ATB-SIT124/PG	300	100	2.128	5.873
ATB-SIT126/PG	300	150	2.288	6.315
ATB-SIT128/PG	300	200	2.426	6.696
ATB-SIT129/PG	300	225	2.495	6.886
ATB-SIT1212/PG	300	300	2.701	7.455



EXAMPLE SHOWN:
ATB-SIT66/PG

*EMBODIED CARBON AS SPECIFIED IN CIBSE TM65.1:2022 (A1-A3)
MEASURED IN Kg CO2e PER Kg