SIEMENS

Data sheet

6GF3500-8DF30-3DA0

product type designation product description



Floodlight 40x30cm, 24V

external floodlight, white

MV500 LED panel, diffuse white Illuminated area: 40 cm x 30 cm; lighting distance: 0mm..2000 mm; illuminant: LED 850 Nm; Degree of protection IP67; For SIMATIC MV500 external, 24 V power supply; lamp holder: 6GF3500-8CD dimensions: 420x 340x 22 mm (WxHxD) scope of delivery: panel light and 10m cable M16-open end; scope of delivery: panel light;

suitability for use	Switching mode via MV500-STROBE signal, no flash mode
suitability for operation	for MV500
supply voltage, current consumption, power loss	
type of voltage / of the supply voltage	DC
supply voltage / at DC	24 V
consumed current / maximum	5000 mA
power loss [W] / maximum	81 W
mechanical data	
material	metal/PMMA
color	black
design, dimensions and weights	
width	422 mm
height	340 mm
depth	22 mm
net weight	3900 g
further information / internet links	
internet link	
 to website: Selection guide for cables and connectors 	https://support.industry.siemens.com/cs/ww/en/view/109766358
 to web page: selection aid TIA Selection Tool 	https://www.siemens.com/tstcloud
 to website: Industrial communication 	https://www.siemens.com/simatic-net
• to web page: SiePortal	https://sieportal.siemens.com/
to website: Image database	https://www.automation.siemens.com/bilddb
to website: CAx-Download-Manager	https://www.siemens.com/cax
 to website: Industry Online Support 	https://support.industry.siemens.com
Socurity information	

security information

Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates,

	subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)
last modified:	6/3/2024 🗗