



Ref. No. 831131 | Cat. No. E/054275-130

Description: ARIA 75 + WINDOW

EAN 5412348311314

Home > Boxes & Cabinets & Pedestals > Enclosures for indoor and outdoor

- The cabinets are made of light-grey (RAL 7035) hot moulded, glass fibre reinforced polyester, dyed in mass. The enclosure is furnished with four threaded studs and bolts for mounting plate or mounting frame installation.
- The enclosure provides total insulation and a protection degree of IP66 following IEC 60529 and EN 60529.
- Protection degree IK10 against external mechanical impacts according to EN 62262 and IEC 62262 (IK07 for cabinets with glazed door).
- This protection covers the total volume of the enclosure according to EN 62208 and IEC 62208.
- Resists temperatures up to 70°C in continuous use (peak temperatures up to 150°C).
- Self extinguishing and halogen-free.
- Cabinets are maintenance free and corrosion resistant.
- Rated insulation voltage Ui = 1000V.

| Descriptors | |
|-------------|-----------------------------------|
| Category | Enclosures for indoor and outdoor |
| Family Name | ARIA |
| IK | IK07 |

| Specifications | |
|---------------------------------|--|
| Enclosure type | Cabinet |
| Total Insulation | Yes |
| Raw materials | Polyester glass-fibre reinforced hot-moulded |
| Ambient conditions | Indoor Outdoor |
| Installation | Pole Fixing Wall mounting |
| IP | IP66 |
| Product/Accessory | Product |
| Product/Accessory functionality | Cabinet |
| Door/Cover | Door glazed |
| Door/Cover- plain/glazed | Glazed |
| Standards | EN/IEC 61439-2 EN/IEC 60529 EN/IEC 62208 |
| Туре | ARIA 75 |
| Inner height | 675 mm |
| Inner width | 470 mm |
| Kind of closing system | With double bit lock 3 mm 3-point closing system |
| Screws/Hinges/Bolts | Hinges |
| Colour | RAL 7035 |
| Volume | 0.094500 m3 |

Classifications



Created on: 21/09/2020

| Classifications Approvals | UL CSA Lloyd's Register of Shipping | | |
|----------------------------------|---|--------------------------|--|
| ETIM 5.0 | EC000058 - Empty cabinet | | |
| ETIM 6.0 | EC000058 - Empty cabinet | EC000058 - Empty cabinet | |
| Dimensions Height | 700.0 mm | | |
| Width | 500.0 mm | | |
| Width | | | |

1

Standard packing

Created on: 21/09/2020

| Publications | | |
|--|------------------------|-------------------------|
| Title | Publication No. | Publication Type |
| ARIA 75 - Glazed door cabinet three point closing system 735x535x270 mm (pdf) | | |
| 3D PDF Viewer: Industrial Enclosures - ARIA 75 - Glazed door cabinet three point closin system 735x535x270 mm (3DPDF format) ARIA 75 - Glazed door cabinet three point closing system 735x535x270 mm (stp) | 3D-00476-PDF ng | Drawings - CAD - 3D |
| 3D Drawing: Industrial Enclosure - ARIA 75 - Glazed door cabinet three point closing system 735x535x270 mm (STEP format) | 3D-00476 | Drawings - CAD - 3D |

Additional Documentation: Visit our Publication Library to find technical documentation, specifications, articles, promotional literature, 3D's,...

industrialsolutions.uk.abb.com Created on: 21/09/2020