



Ref. No. 831112 | Cat. No. E/054108-130

Description: ARIA 108

EAN 5412348311123

Home > Boxes & Cabinets & Pedestals > Enclosures for indoor and outdoor

- The cabinets are made of light-grey (RAL 7035) hot moulded, glass fibre reinforced polyester, dyed in mass. The enclosure is furnished with four threaded studs and bolts for mounting plate or mounting frame installation.
- The enclosure provides total insulation and a protection degree of IP66 following IEC 60529 and EN 60529.
- Protection degree IK10 against external mechanical impacts according to EN 62262 and IEC 62262 (IK07 for cabinets with glazed door).
- This protection covers the total volume of the enclosure according to EN 62208 and IEC 62208.
- Resists temperatures up to 70°C in continuous use (peak temperatures up to 150°C).
- Self extinguishing and halogen-free.
- Cabinets are maintenance free and corrosion resistant.
- Rated insulation voltage Ui = 1000V.

Descriptors					
Category	Enclosures for indoor and outdoor				
Family Name	ARIA				
IK	IK10				

Specifications	
Enclosure type	Cabinet
Total Insulation	Yes
Raw materials	Polyester glass-fibre reinforced hot-moulded
Ambient conditions	Indoor Outdoor
Installation	Pole Fixing Wall mounting
IP	IP66
Product/Accessory	Product
Product/Accessory functionality	Cabinet
Door/Cover	Door
Door/Cover- plain/glazed	Plain
Standards	EN/IEC 61439-2 EN/IEC 60529 EN/IEC 62208
Type	ARIA 108
Inner height	975 mm
Inner width	770 mm
Kind of closing system	With double bit lock 3 mm 3-point closing system
Screws/Hinges/Bolts	Hinges
Colour	RAL 7035
Volume	0.240000 m3

Classifications



Created on: 21/09/2020

Classifications				
Approvals	UL CSA Lloyd's Register of Shipping			
ETIM 5.0	EC000058 - Empty cabinet			
ETIM 6.0	EC000058 - Empty cabinet			
Dimensions				
Difficusions				
Height	1000.0 mm			
Width	800.0 mm			

Package Information		
Standard packing	1	

300.0 mm

Depth

Publications			
	Title	Publication No.	Publication Type
	ARIA 108 - Cabinet with double bit lock 3 mm three point closing syst. 1035x835x300 mm (pdf) ndustrial Enclosures - ARIA 108 - Cabinet with double bit lock 3 mm three point closing syst. 1035x835x300 mm (3DPDF format)	3D-00468-PDF	Drawings - CAD - 3D
	ARIA 108 - Cabinet with double bit lock 3 mm three point closing syst. 1035x835x300 mm (stp) 3D Drawing: Industrial Enclosure - ARIA 108 - Cabinet with double bit lock 3 mm three point closing syst. 1035x835x300 mm (STEP format)	3D-00468	Drawings - CAD - 3D

Additional Documentation: Visit our Publication Library to find technical documentation, specifications, articles, promotional literature, 3D's,...

industrialsolutions.uk.abb.com Created on: 21/09/2020