

Product datasheet

Specifications



limit switch head ZCKD - without lever spring return left and or right actuation

Local distributor code: 2205227 ZCKD05

Main

Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Rotary head
Product compatibility	XCKS XCKM XCKL
Associated lever	ZCKY39 ZCKY33 ZCKY91 ZCKY43 ZCKY59 ZCKY54 ZCKY81 ZCKY31 ZCKY55 ZCKY41 ZCKY49 ZCKY34
Associated body	ZCKMD37H7 ZCKMD37H29 ZCKM1H29 ZCKL7H7 ZCKM1 ZCKL1 ZCKSD39H29 ZCKL8H7 ZCKSD37 ZCKM5H7 ZCKSD31H29 ZCKMD31H29 ZCKSD31 ZCKLD35H7 ZCKM6H29 ZCKLD31H7 ZCKMD37 ZCKLD39 ZCKS7 ZCKLD39H7 ZCKL1H7 ZCKM5 ZCKS404H29 ZCKMD39H29 ZCKS8 ZCKMD35 ZCKM9 ZCKS2 ZCKMD35H7 ZCKL7 ZCKM6 ZCKM8H7 ZCKL5 ZCKLD37H7

ZCKMD39H7
 ZCKSD35H29
 ZCKS7H29
 ZCKS6H29
 ZCKSD37H29
 ZCKS1H29
 ZCKL6
 ZCKM9H29
 ZCKM7
 ZCKSD35
 ZCKLD37
 ZCKM7H29
 ZCKS9H29
 ZCKS9
 ZCKMD31H7
 ZCKS8H29
 ZCKM6H7
 ZCKM1H7
 ZCKLD31
 ZCKM8H29
 ZCKS5
 ZCKS1
 ZCKL8
 ZCKS2H29
 ZCKL6H7
 ZCKM7H7
 ZCKL5H7
 ZCKMD35H29
 ZCKMD31
 ZCKLD35
 ZCKM8
 ZCKMD39
 ZCKS5H29
 ZCKS6
 ZCKM5H29
 ZCKSD39

Movement of operating head	Rotary
Type of operator	Without operating lever spring return
Type of approach	Lateral approach, 1 or 2 programmable direction

Complementary

Switch actuation	From left and/or right CW and/or CCW
Positive opening	Without With
Head material	Plastic

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	73.0 g
Package 1 Height	3.5 cm
Package 1 width	6.5 cm
Package 1 Length	8 cm
Unit Type of Package 2	S01
Number of Units in Package 2	28
Package 2 Weight	2.211 kg
Package 2 Height	15 cm

Package 2 width	15 cm
Package 2 Length	40 cm
Unit Type of Package 3	P06
Number of Units in Package 3	896
Package 3 Weight	78.752 kg
Package 3 Height	75 cm
Package 3 width	80 cm
Package 3 Length	60 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty	18 months
----------	-----------