

Product datasheet

Specifications



rear connection upside horizontal mounting - for NW 08..20 - 3 poles

Local distributor code: 387345734 48143

Main

Product or component type	Rear connection
Accessory / separate part category	Connection accessory
Range compatibility	MasterPact NW MasterPact NW08 switch disconnecter MasterPact NW MasterPact NW10 switch disconnecter MasterPact NW MasterPact NW12 switch disconnecter MasterPact NW MasterPact NW16 switch disconnecter MasterPact NW MasterPact NW20 switch disconnecter MasterPact NW MasterPact NW02 switch disconnecter MasterPact NW MasterPact NW08 circuit breaker MasterPact NW MasterPact NW16 circuit breaker MasterPact NW MasterPact NW10 circuit breaker MasterPact NW MasterPact NW12 circuit breaker MasterPact NW MasterPact NW20 circuit breaker MasterPact NW MasterPact NW02 circuit breaker
Poles description	3P
[In] rated current	800 A H1 drawout 800 A H2 drawout 800 A H3 drawout 800 A L1 drawout 1000 A H1 drawout 1000 A H2 drawout 1000 A H3 drawout 1000 A L1 drawout 1250 A H1 drawout 1250 A H2 drawout 1250 A H3 drawout 1600 A H1 drawout 1600 A H2 drawout 1600 A H3 drawout 800 A N1 drawout 800 A NA fixed 1000 A NA fixed 1250 A NA fixed 1600 A NA fixed 800 A H1 fixed 800 A H2 fixed 800 A H3 fixed 800 A L1 fixed 800 A HA fixed 1000 A H1 fixed 1000 A H2 fixed 1000 A H3 fixed 1000 A L1 fixed 1000 A HA fixed 1250 A H1 fixed 1250 A H2 fixed 1250 A H3 fixed 1250 A HA fixed 1600 A H1 fixed 1600 A H2 fixed 1600 A H3 fixed 1600 A HA fixed 800 A HA drawout 1000 A HA drawout 1250 A HA drawout 1600 A HA drawout 1250 A HF drawout

800 A N1 fixed
1000 A N1 fixed
1250 A L1 fixed
1250 A N1 fixed
1600 A N1 fixed
1600 A L1 fixed
1600 A N1 drawout
1600 A L1 drawout
800 A H2A drawout
1000 A N1 drawout
1000 A H2A drawout
1250 A N1 drawout
1250 A H2A drawout
1250 A L1 drawout
1600 A H2A drawout
2000 A N1 drawout
2000 A H1 drawout
2000 A H2 drawout
2000 A H2A drawout
800 A H2A fixed
800 A H10 fixed
800 A H1b fixed
800 A N2 fixed
1000 A H2A fixed
1000 A H10 fixed
1000 A H1b fixed
1000 A N2 fixed
1250 A H2A fixed
1250 A H10 fixed
1250 A H1b fixed
1250 A N2 fixed
1600 A H2A fixed
1600 A H10 fixed
1600 A H1T fixed
1600 A H1b fixed
1600 A N2 fixed
2000 A N1 fixed
2000 A H1 fixed
2000 A H2 fixed
2000 A H2A fixed
2000 A H10 fixed
2000 A H1T fixed
2000 A L1 fixed
2000 A H1b fixed
2000 A N2 fixed
2000 A H3 fixed
800 A HF fixed
1000 A HF fixed
1250 A HF fixed
1600 A HF fixed
2000 A HA fixed
2000 A HF fixed
800 A H10 drawout
800 A H1b drawout
800 A N2 drawout
800 A NA drawout
800 A HF drawout
800 A HA10 drawout
1000 A H10 drawout
1000 A H1b drawout
1000 A N2 drawout
1000 A NA drawout
1000 A HF drawout
1000 A HA10 drawout
1250 A H10 drawout
1250 A H1b drawout
1250 A N2 drawout
1250 A NA drawout
1250 A HA10 drawout
1600 A H10 drawout
1600 A H1T drawout
1600 A H1b drawout
1600 A N2 drawout
1600 A NA drawout
1600 A HF drawout
1600 A HA10 drawout
2000 A H10 drawout
2000 A H1T drawout
2000 A H1b drawout
2000 A HA drawout
2000 A HF drawout
2000 A HA10 drawout
800 A HA10 fixed
1000 A HA10 fixed
1250 A HA10 fixed
1600 A HA10 fixed
2000 A HA10 fixed
250 A H1 drawout
2000 A N2 drawout

Complementary

Location of connection	Rear
Localisation on device	Upside
Connection position	Horizontal
Connection pitch	115 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	1.69 kg
Package 1 Height	5 cm
Package 1 width	7.5 cm
Package 1 Length	5 cm

Offer Sustainability

REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)

Contractual warranty

Warranty	18 months
----------	-----------