



limit switch head ZCE - spring rod lever nitrile boot

Local distributor code: 389557779 ZCE08

Main	
Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Multi-directional head
Product compatibility	XCKP XCKD XCMD XCKT
Associated body	ZCT21P16 ZCMD37L1 ZCMD81L1 ZCP28 ZCMD21C12 ZCT27G11 ZCT25N12 ZCT27P16 ZCD31 ZCMD39L5 ZCMD39L5 ZCMD39L5 ZCMD29L5 ZCMD29L1 ZCT21N12 ZCMD61M12 ZCMD61M12 ZCMD21L2 ZCT27N12 ZCMD29L2 ZCT27N12 ZCMD29L3 ZCMD29L5 ZCMD29L1 ZCT21N12 ZCMD29L1 ZCT21N12 ZCMD29L1 ZCT21N12 ZCMD29L1 ZCT27N12 ZCMD29L1 ZCT27N12 ZCMD29L1 ZCT27N12 ZCP27 ZCP21M12 ZCMD29L2 ZCT26N12 ZCMD29L2 ZCT26N12 ZCMD29L2 ZCT26N12 ZCMD29L5 ZCMD29L2 ZCMD29L5 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L2 ZCMD29L1 ZCMD25L2 ZCMD25L2 ZCMD25L2 ZCMD25L2 ZCMD25L2 ZCMD25L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1 ZCMD21L1

ZCD29M12 ZCMD39L2 ZCT25G11 ZCD25 ZCMD81L2 ZCMD37L5 ZCMD25L5
ZCMD61C12
ZCMD69C12
ZCT28N12
ZCMD21L08U78
ZCD27
ZCMD81L5
ZCMD41L5
ZCD28
ZCMD25L1
ZCP21
ZCT21G11
ZCP29M12
ZCMD21L08R12
ZCMD21L1
ZCMD21M12
ZCMD21M12
ZCMD21M12
ZCT25P16
ZCP29
ZCD39
ZCP39
ZCD37

Movement of operating head	Multi-directional
Type of operator	Spring rod spring return metal (with nitrile boot)
Type of approach	Multi-directional approach

Complementary

Switch actuation	By any moving part
Positive opening	Without

Environment

Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	24.0 g
Package 1 Height	2 cm
Package 1 width	12.7 cm
Package 1 Length	1.7 cm
Unit Type of Package 2	S01
Number of Units in Package 2	80
Package 2 Weight	1.92 kg
Package 2 Height	15 cm
Package 2 width	15 cm
rackage 2 width	15 CIII

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	
Mercury free	Yes	

RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Contractual warranty	
Warranty	18 months