

Extended rotary handle kit, TeSys GV2, IP54, black handle, with trip indication, for GV2L-GV2P

Local distributor code: 396969318 GV2APN01

Range	TeSys
	TeSys Deca
	100/0 2000
Device short name	GV2AP
Device short name	0,2,1
Product or component type	Rotary handle kit
Froduct of component type	Notary Harride Kit
Accessory / separate part	Control accessory
- · · · · · · · · · · · · · · · · · · ·	control decoded, y
category	
Handle colour	Black
Tialidie Colodi	Diduk
Handle front plate colour	Grey
nanule Iront plate colour	Orey

Complementary

Product compatibility	GV2P GV2L
Rotary handle padlocking	Padlock in OFF position Padlock in ON position
Rotary handle mounting style	Extended
Locking options description	1 to 3 padlocks
Back/Door distance	140250 mm
Net weight	0.2 kg

Environment

IP degree of protection	IP54
ii dogree or protection	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	362.0 g
Package 1 Height	6.5 cm
Package 1 width	9 cm
Package 1 Length	37 cm
Unit Type of Package 2	S03
Number of Units in Package 2	12
Package 2 Weight	4.728 kg

Package 2 Height	30 cm
Package 2 width	30 cm
Package 2 Length	40 cm
Unit Type of Package 3	P06
Number of Units in Package 3	96
Package 3 Weight	50.492 kg
Package 3 Height	77 cm
Package 3 width	60 cm
Package 3 Length	80 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty


Warranty	18 months

Product datasheet

GV2APN01

Dimensions Drawings

Mounting of External Operator GV2APN01, GV2APN02 or GV2APN04 for Motor Circuit Breakers GV2L



Door cut-out

