

# JC131003

## Emergency Remote Pack

Skydisc™ Adjustable Wall/Ceiling Light Emergency pack for Non-dimmable (JC131001)

### Features & Benefits

- For use with the 4000K Non-dimmable Skydisc™ Adjustable Wall/Ceiling Light



CLASS II



EMERGENCY



RATING



WARRANTY

### General Information

Mounting

Environment

Suitable For Zones

Product Group

Product Range

Trade Name

Color Finish

Product Shape

Product Weight(kg)

Overall Dimensions

Light Source

Additional Information

Recommended Product Location

Product Aperture Size

IP Rating

Origin of manufacturer

Warranty

**Recessed**

**Indoor**

**Outside Zone 2**

**Emergency Remote Pack**

**Emergency**

**Emergency Range**

**White**

**Rectangular**

**0.232**

**199(L) x 55.2(W) x 24.5(H) mm**

**LED**

**For use with JC131003 only**

**Ceiling voids(recessed applications)**

**60mm**

**IP20**

**Made in China**

**2 years standard warranty extends to 3 years when registered within the first year of purchase (2 years on batteries)(See Website for terms and conditions)**

Operation Type  
Lighting Product Type 1  
Lighting Product Type 2

Maintained only  
Emergency Lighting  
Accessory

Electrical

Voltage Rating220-240  
Operating Frequency Hz50/60Hz  
Luminaire Circuit Wattage2.5W  
ClassII  
Input Electrical ConnectionsN(Neutral)Usw/L(Unswitched Live)Sw/L(switched Live)

Emergency Data

LOR % in Emergency Mode  
  
To calculate the LOR% please use the formula shown: 2.4W  
Power in EM mode ÷ Fitting Wattage (e,g. 10W) x 100 = LOR  
%(2.4 ÷ 10 x 100=24%)

Battery Data

Battery Specification2 cell LiFePO4 6.4VDC  
Battery TypeLithium Iron  
Nominal Battery Current1.5A  
Charge Current200mA  
Recharge Time16hrs  
Battery run time3 hours  
Battery Total Weight(kg)0.42

Thermals

Insulation CoverageDo not cover with insulation  
Operating Temperature Range °C0 to +55

Construction

Primary MaterialPolycarbonate


Packaging

Product carton overall dimensions(cm)24(L)x5.8(W)x2.8(H)  
Product Packaged Weight(kg)0.268  
Quantity Per Outer Carton30  
Outer carton(L)- cm35  
Outer carton(W)- cm28.5  
Outer carton(H)- cm20  
Outer carton Net weight- kg7.86  
Outer carton Gross weight- kg8.36  
Product Bar Code EAN-13 Number5052544109478  
Outer carton Bar Code ITF-14 Number15052544109475

# Standards & Approvals

Manufactured In Accordance To  
CE Marked  
UKCA Marked  
Date code/Purchase order No.  
WEEE Symbol  
Certificate Of Conformity  
Accredited Members

**BS EN 60598:2015, 2-22**  
**Yes**  
**Yes**  
**Yes**  
**Yes**  
**Available on request**  
**LIA, ISO9001:2015, ISO14001:2015**



---

JCC Lighting LTD Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex PO22 9TS  
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)  
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 140 [18/07/2022]