



CorePro GLASS LED candles and lusters



CorePro LEDCandleND2-25W E14BA35 827CL G

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General information		Operating and electrical	
Cap-Base	E14 [E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	2 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	20 mA
Switching Cycle	20000X	Wattage Equivalent	25 W
Technical Type	2-25W	Starting Time (Nom)	0.5 s
Flux measurement reference	Sphere	Warm Up Time to 60% Light (Nom)	0.5 s
Light technical		Power Factor (Nom)	0.4
Color Code	827 [CCT of 2700K]	Voltage (Nom)	220-240 V
Luminous Flux (Nom)	250 lm	Temperature	
Color Designation	Warm White (WW)	T-Case Maximum (Nom)	36 °C
Correlated Color Temperature (Nom)	2700 K	Controls and dimming	
Luminous Efficacy (rated) (Nom)	125.00 lm/W	Dimmable	No
Color Consistency	<6	Mechanical and housing	
Color Rendering Index (Nom)	80	Bulb Finish	Clear
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro GLASS LED candles and lusters

Bulb Shape	BA35
Approval and application	
Energy Efficiency Class	E
Energy Saving Product	Yes
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	2 kWh
EPREL Registration Number	387361
Product data	
Full product code	871951437759200

Order product name	CorePro LEDCandleND2-25W E14BA35 827CL G
EAN/UPC - Product	8719514377592
Order code	929001238492
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001238492
Copy Net Weight (Piece)	0.014 kg


Dimensional drawing




Product	D	C
CorePro LEDCandleND2-25W E14BA35 827CL G	35 mm	123 mm

CorePro LEDCandleND2-25W E14BA35 827CL G

Photometric data




LED Lamps,Lightcolour /827 ND CL



Classic LEDCandle ND 2-25W BA35 827 CL

CorePro GLASS LED candles and lusters

Photometric data




Classic LEDCandle ND 2-25W BA35 827 CL

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

