



# CorePro GLASS LED candles and lusters

## CorePro LEDCandleND 2-25W B35 B22 827CLG

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

### Product data

General information	
Cap-Base	B22 [ B22]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Flux measurement reference	Sphere
Light technical	
Color Code	827 [ CCT of 2700K]
Luminous Flux (Nom)	250 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	125.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	2 W
Lamp Current (Nom)	20 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.41
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	36 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Clear

# CorePro GLASS LED candles and lusters

Bulb Shape	B35 [ B 35mm]
------------	---------------

## Approval and application


Energy Efficiency Class	E
Energy Consumption kWh/1000 h	2 kWh
EPREL Registration Number	400292

## Product data

Full product code	871951434724300
Order product name	CorePro LEDCandleND 2-25W B35 B22 827CLG

EAN/UPC - Product	8719514347243
Order code	929001815692
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001815692
Copy Net Weight (Piece)	0.012 kg


## Dimensional drawing




CorePro LEDCandleND 2-25W B35 B22 827CLG

Product	D	C
CorePro LEDCandleND 2-25W B35 B22 827CLG	35 mm	93 mm

## Photometric data




CLA LEDcandle 25W B22 827 CL B35



LEDbulb 40W B22 827 CL A60 ND


# CorePro GLASS LED candles and lusters

## Photometric data




CLA LEDcandle 25W B15 827 CL B35

## Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

