



CorePro LEDspot MV

CorePro LEDspot 4-35W GU10 840 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data


General Information		Temperature	
Cap base	GU10 [GU10]	Lamp current (nom.)	19 mA
EU RoHS compliant	Yes	Wattage equivalent	35 W
Nominal lifetime (nom.)	15000 h	Starting time (nom.)	0.5 s
Switching cycle	50,000X	Warm-up time to 60% light (nom.)	0.5 s
Technical type	4-35W	Power factor (nom.)	0.7
Light Technical		Voltage (Nom)	220-240 V
Colour Code	840 [CCT of 4,000 K]	Controls and Dimming	
Beam Angle (Nom)	36 °	Dimmable	Yes
Luminous flux (nom.)	270 lm	Mechanical and Housing	
Luminous intensity (nom.)	540 cd	Bulb shape	PAR16 [PAR 2 inch]
Colour designation	Cool White (CW)	Approval and Application	
Correlated Colour Temperature (Nom)	4000 K	Suitable for accent lighting	Yes
Luminous efficacy (rated) (nom.)	67.00 lm/W	Energy consumption kWh/1,000 hours	4 kWh
Colour consistency	<6	Product Data	
Colour rendering index (nom.)	80	Full product code	871869673022500
LLMF at end of nominal lifetime (nom.)	70 %	Order product name	CorePro LEDspot 4-35W GU10 840 36D DIM
Luminous flux in 90° cone (rated)	270 lm		
Operating and Electrical			
Input frequency	50 to 60 Hz		
Power (Rated) (Nom)	4 W		

CorePro LEDspot MV

EAN/UPC – product	8718696730225
Order code	73022500
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10

SAP material	929001364002
SAP net weight (piece)	0.038 kg


Dimensional drawing




GU10 230V 4-35W 270lm 36D 4000K GU10 D

Product	D	C
CorePro LEDspot 4-35W GU10 840 36D DIM	50 mm	54 mm

Photometric data




Photometric data table and beam angle diagram.



Classic LEDspotMV 35W GU10 840 36D

CorePro LEDspotMV 35W GU10 830 36D CLA




CorePro LEDspotMV 25W GU10 840 36D

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND



CLA LEDspotMV 50W GU10 827 36D ND

