



CorePro LEDspot MV

CorePro LEDspot 4-35W GU10 827 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
Cap base	GU10 [GU10]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50,000X
Technical type	4-35W
Light Technical	
Colour Code	827 [CCT of 2,700 K]
Beam Angle (Nom)	36 °
Luminous flux (nom.)	250 lm
Luminous intensity (nom.)	500 cd
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	62.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Luminous flux in 90° cone (rated)	250 lm
Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	4 W


Lamp current (nom.)	25 mA
Wattage equivalent	35 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	65 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb shape	PAR16 [PAR 2 inch]
Approval and Application	
Suitable for accent lighting	Yes
Energy consumption kWh/1,000 hours	4 kWh
Product Data	
Full product code	871869672133900
Order product name	CorePro LEDspot 4-35W GU10 827 36D DIM

CorePro LEDspot MV

EAN/UPC – product	8718696721339
Order code	72133900
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10

SAP material	929001218632
SAP net weight (piece)	0.036 kg


Dimensional drawing




GU10 230V 5W-50W 385lm 36D 4000K GU10 ND

Product	D	C
CorePro LEDspot 4-35W GU10 827 36D DIM	50 mm	53 mm


Photometric data



LEDspotMV 35W-50W GU10 827 36D D



LEDspotMV 35W-50W GU10 827 36D D



LEDspotMV GU10 MR16 827

CorePro LEDspot MV

