



CorePro LEDbulb

CorePro LEDbulb D 5-40W A60 E27 927


LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data

General Information		Power factor (nom.)		0.9
Cap base	E27 [E27]	Voltage (Nom)		220–240 V
EU RoHS compliant	Yes			
Nominal lifetime (nom.)	15000 h	Temperature		
Switching cycle	50,000X	T–Case maximum (nom.)		70 °C
Technical type	5–40W			
Light Technical		Controls and Dimming		
Colour Code	927	Dimmable		Yes
Beam Angle (Nom)	150 °			
Luminous flux (nom.)	470 lm	Mechanical and Housing		
Colour designation	Warm white (WW)	Lamp Finish		Frosted
Correlated Colour Temperature (Nom)	2700 K	Bulb shape		A60 [A 60mm]
Luminous efficacy (rated) (nom.)	94.00 lm/W			
Colour consistency	<6	Approval and Application		
Colour rendering index (nom.)	90	Energy consumption kWh/1,000 hours		5 kWh
LLMF at end of nominal lifetime (nom.)	70 %			
Operating and Electrical		Product Data		
Input frequency	50 to 60 Hz	Full product code		871869966062800
Power (Rated) (Nom)	5 W	Order product name		CorePro LEDbulb D 5–40W A60 E27 927
Lamp current (nom.)	30 mA	EAN/UPC – product		8718699660628
Wattage equivalent	40 W	Order code		66062800
Starting time (nom.)	0.5 s	SAP numerator – quantity per pack		1
Warm-up time to 60% light (nom.)	0.5 s	Numerator – packs per outer box		10
		SAP material		929002068902
		SAP net weight (piece)		0.060 kg

CorePro LEDbulb


Dimensional drawing




Bulb A60S 230V 5.5-40W 470lm 2700K E27

Product	D	C
CorePro LEDbulb D 5-40W A60 E27 927	60 mm	110 mm


Photometric data



LEDBulb CorePro E27 A60 5W




LEDBulb CorePro E27 A60 5W




LEDBulb CorePro E27 A60 5W

CorePro LEDbulb

Lifetime



LEDBulb CorePro E27 A60



LEDBulb CorePro E27 A60

