



CorePro LEDbulb

CorePro LEDbulb D 10.5-75W A60 B22 927


LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data


General Information		Power factor (nom.)		0.9
Cap base	B22 [B22]	Voltage (Nom)		220-240 V
EU RoHS compliant	Yes			
Nominal lifetime (nom.)	15000 h	Temperature		
Switching cycle	50,000X	T-Case maximum (nom.)		90 °C
Technical type	10.5-75W			
Light Technical				
Colour Code	927			
Beam Angle (Nom)	150 °			
Luminous flux (nom.)	1055 lm			
Colour designation	Warm white (WW)			
Correlated Colour Temperature (Nom)	2700 K			
Luminous efficacy (rated) (nom.)	100.00 lm/W			
Colour consistency	<6			
Colour rendering index (nom.)	90			
LLMF at end of nominal lifetime (nom.)	70 %			
Operating and Electrical				
Input frequency	50 to 60 Hz			
Power (Rated) (Nom)	10.5 W			
Lamp current (nom.)	55 mA			
Wattage equivalent	75 W			
Starting time (nom.)	0.5 s			
Warm-up time to 60% light (nom.)	0.5 s			
		Dimmable		Yes
Mechanical and Housing				
Lamp Finish		Frosted		
Bulb shape		A60 [A 60mm]		
Approval and Application				
Energy consumption kWh/1,000 hours		11 kWh		
Product Data				
Full product code		871869966074100		
Order product name		CorePro LEDbulb D 10.5-75W A60 B22 927		
EAN/UPC – product		8718699660741		
Order code		66074100		
SAP numerator – quantity per pack		1		
Numerator – packs per outer box		10		
SAP material		929002069402		
SAP net weight (piece)		0.060 kg		

CorePro LEDbulb

Lifetime



LEDBulb CorePro E27 A60



LEDBulb CorePro E27 A60

