

**EWK 1****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Product image**

Weidmüller's range of products includes end brackets that guarantee a permanent, reliable mounting on the terminal rail and prevent sliding. Versions with and without screws are available. The end brackets include marking options, also for group markers, and also a test plug holder.

**General ordering data**

| Accessories, End bracket |                             |
|--------------------------|-----------------------------|
| Version                  | Accessories, End bracket    |
| Order No.                | <a href="#">0206 160000</a> |
| Type                     | EWK 1                       |
| GTIN (EAN)               | 4008 190080020              |
| Qty.                     | 50 pc(s).                   |

## EWK 1

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Depth      | 31 mm  | Depth (inches)  | 1.22 inch  |
| Height     | 27 mm  | Height (inches) | 1.063 inch |
| Width      | 9 mm   | Width (inches)  | 0.354 inch |
| Net weight | 4.34 g |                 |            |

## Temperatures

|                                  |        |                                  |        |
|----------------------------------|--------|----------------------------------|--------|
| Continuous operating temp., min. | -50 °C | Continuous operating temp., max. | 100 °C |
|----------------------------------|--------|----------------------------------|--------|

## Material data

|                           |       |        |       |
|---------------------------|-------|--------|-------|
| Material                  | Wemid | Colour | beige |
| UL 94 flammability rating | V-0   |        |       |

## System specifications

|         |                   |      |       |
|---------|-------------------|------|-------|
| Version | For the terminals | Rail | TS 32 |
|---------|-------------------|------|-------|

## Additional technical data

|                     |                 |           |                  |
|---------------------|-----------------|-----------|------------------|
| Installation advice | Direct mounting | Interlock | for screw fixing |
| Type of mounting    | when screwed in |           |                  |

## Conductors for clamping (rated connection)

|                         |      |                         |        |
|-------------------------|------|-------------------------|--------|
| Tightening torque, max. | 1 Nm | Tightening torque, min. | 0.5 Nm |
|-------------------------|------|-------------------------|--------|

## Dimensions

|              |         |  |  |
|--------------|---------|--|--|
| TS 32 offset | 13.5 mm |  |  |
|--------------|---------|--|--|

## General

|                     |                 |      |       |
|---------------------|-----------------|------|-------|
| Installation advice | Direct mounting | Rail | TS 32 |
|---------------------|-----------------|------|-------|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001041    | ETIM 7.0    | EC001041    |
| ETIM 8.0    | EC001041    | ECLASS 9.0  | 27-14-11-35 |
| ECLASS 9.1  | 27-14-11-35 | ECLASS 10.0 | 27-14-11-35 |
| ECLASS 11.0 | 27-14-11-35 | ECLASS 12.0 | 27-14-11-35 |

## Approvals

|      |         |  |  |
|------|---------|--|--|
| ROHS | Conform |  |  |
|------|---------|--|--|

## EWK 1

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Downloads

|                             |                                                                                   |
|-----------------------------|-----------------------------------------------------------------------------------|
| Engineering Data            | <a href="#">CAD data – 04520_EWK_1_DXF.dxf</a><br><a href="#">CAD data – STEP</a> |
| Engineering Data            | <a href="#">EPLAN, WSCAD, Zuken E3.S</a>                                          |
| Product Change Notification | <a href="#">Technical Change EN</a><br><a href="#">Technical Change DE</a>        |
| User Documentation          | <a href="#">StorageConditionsTerminalBlocks</a>                                   |
| Catalogues                  | <a href="#">Catalogues in PDF-format</a>                                          |
| Brochures                   |                                                                                   |