

# SAFETY DATA SHEET ESKI READY TO USE SCREENWASH

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name ESKI READY TO USE SCREENWASH

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

## 1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

## 1.4. Emergency telephone number

Emergency telephone Emergency contact number (9am to 5pm Monday to Friday excluding bank holidays): 01295

251721 ask for technical, quoting the product name.

Emergency Action: In the event of a medical enquiry involving this product outside of these hours, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) again quoting product name and where applicable present this

MSDS to the medical professional.

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

**Health hazards** Eye Irrit. 2 - H319

Environmental hazards Not Classified

Classification (67/548/EEC or R10.

1999/45/EC)

## 2.2. Label elements

Hazard pictograms





Signal word

Danger

Revision date: 26/06/2019 Revision: 11 Supersedes date: 17/10/2017

### **ESKI READY TO USE SCREENWASH**

Hazard statements H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

**Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P264 Wash contaminated skin thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container in accordance with national regulations.

Supplementary precautionary

statements

P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

Other Hazards None

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

PROPAN-2-OL 5-10%

CAS number: 67-63-0 EC number: 200-661-7 REACH registration number: 01-

2119529230-52-XXXX

1-5%

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F;R11 Xi;R36 R67

Eye Irrit. 2 - H319 STOT SE 3 - H336

### SODIUM DIOCTYL SULPHOSUCCINATE

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 Xi;R38,R41. R10.

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Ingestion** Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

**Skin contact** Rinse immediately with plenty of water. Remove contaminated clothing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

## 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** May cause respiratory irritation.

Revision date: 26/06/2019 Revision: 11 Supersedes date: 17/10/2017

## **ESKI READY TO USE SCREENWASH**

**Ingestion** May cause discomfort if swallowed.

Skin contact May cause skin irritation.

Eye contact May cause eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

### SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Burning may produce irritating, toxic and obnoxious fumes.

Oxides of Carbon, Nitrogen and Sulphur.

## 5.3. Advice for firefighters

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clothing.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area

with plenty of water. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

**Reference to other sections** See section 3.8 & 13 for further information

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

## Occupational exposure limits

### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

Revision date: 26/06/2019 Revision: 11 Supersedes date: 17/10/2017

## **ESKI READY TO USE SCREENWASH**

## 8.2. Exposure controls

Protective equipment

Appropriate engineering

controls

Not relevant.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should

comply with European Standard EN166.

**Hand protection** Hand protection not required.

Other skin and body

protection

Provide eyewash station.

Hygiene measures Promptly remove non-impervious clothing that becomes contaminated. When using do not

eat, drink or smoke.

Respiratory protection Not relevant.

## SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Coloured liquid.

Colour Blue.

Odour Slight alcoholic.

pH (concentrated solution): 8 - 9.5

Flash point 38°C Closed cup.

Relative density ~ 0.99 @ 20°C

Soluble in water.

Viscosity Not applicable. @ 20°C

9.2. Other information

Other information None.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

# 10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

## 10.6. Hazardous decomposition products

## **ESKI READY TO USE SCREENWASH**

Hazardous decomposition

products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Ingestion** May cause discomfort if swallowed.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

## 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

## 12.6. Other adverse effects

Other adverse effects None known.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

# **SECTION 14: Transport information**

## 14.1. UN number

UN No. (ADR/RID) 1993 UN No. (IMDG) 1993 UN No. (ICAO) 1993 UN No. (ADN) 1993

### 14.2. UN proper shipping name

Proper shipping name

FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL)

(ADR/RID)

Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL)

## **ESKI READY TO USE SCREENWASH**

Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL)

Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL)

### 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

## Transport labels



## 14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group

### 14.5. Environmental hazards

# Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 3

Emergency Action Code •3Y

Hazard Identification Number 30

(ADR/RID)

Tunnel restriction code (D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

### **ESKI READY TO USE SCREENWASH**

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

**Guidance** Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Approved Classification and Labelling Guide (Sixth edition) L131.

Safety Data Sheets for Substances and Preparations

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

### SECTION 16: Other information

Revision date 26/06/2019

Revision 11

Supersedes date 17/10/2017

Risk phrases in full R10 Flammable.

R11 Highly flammable. R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.